
Subject: Re: LINK2 Pattern Problem
Posted by [ajwid01](#) on Thu, 18 Jun 2009 14:36:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

Another couple of excerpts that confused me here too:

This bit of SQL is obviously checking we just get 1 row returned for the assumed primary key

```
SELECT count(*) FROM olap_delivery_data3 WHERE  
olap_delivery_data3.seq_number='138376' =>Count=1
```

This SQL appears to be going and retrieving all the fields for the parent record, utilising the primary key sequence number:

```
select * from ( select a.*, rownum as rnum from ( SELECT olap_delivery_data3.* FROM  
olap_delivery_data3 WHERE olap_delivery_data3.seq_number='138376' ) a where rownum <= 1 ) where rnum >= 1=>Count=1
```

This is where it gets confusing:

I don't understand why this piece of SQL goes and runs, effectively returning a count of the total number of child records that match ALL records in the parent table.

Shouldn't it just be delimiting here with an additional where clause on the SEQ_NUMBER?

```
SELECT count(*) FROM olap_delivery_notes3 LEFT JOIN olap_delivery_data3 ON  
(olap_delivery_data3.seq_number=olap_delivery_notes3.delivery_data_seq) =>Count=2076
```

These are the preceding steps to the earlier post, but it's obviously following a similar vane, in that it doesn't seem to want to pass through a where clause to the child selection query.
