

---

**Subject:** Help ! Can not log In Radicore v1.76.0  
**Posted by** [eazl](#) **on Thu, 13 Dec 2012 23:18:31 GMT**  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi, I am new to radicore and followed the instructions to install.

I am using php 5.2.17 on Centos 5.8, mysql v 5.0.77

I started by creating the databases

```
create database connects_menu;
create database connects_dict;
create database connects_audit;
create database connects_workflow;
create database connects_survey;
```

created the schema

```
mysql -u root -p connects_menu < menu/sql/mysql/menu-schema.sql
mysql -u root -p connects_dict < dict/sql/mysql/dict-schema.sql
mysql -u root -p connects_audit < audit/sql/mysql/audit-schema.sql
mysql -u root -p connects_workflow < workflow/sql/mysql/workflow-schema.sql
mysql -u root -p connects_survey < survey/sql/mysql/survey-schema.sql
```

loaded the data

```
mysql -u root -p connects_menu < menu/sql/mysql/menu-data.sql
mysql -u root -p connects_dict < dict/sql/mysql/dict-data.sql
mysql -u root -p connects_workflow < workflow/sql/mysql/workflow-data.sql
mysql -u root -p connects_survey < survey/sql/mysql/survey-data.sql
```

```
# load menu users (once)
mysql -u root -p connects_menu < menu/sql/mysql/mnu-user.sql
```

checked in database all the tables are created and there is data in them

renamed the htacess .htaccess and pointed it to the include location

```
<Files ~ "\.inc$">
Order Deny,Allow
Deny from all
</Files>
```

```
php_value include_path "/opt/test/radicore/includes"
```

```
php_value default_charset "UTF-8"
php_value mbstring.internal_encoding "UTF-8"
```

```
php_value register_globals 0
php_value magic_quotes_gpc 0
php_value magic_quotes_runtime 0
php_value magic_quotes_sybase 0
php_value session.use_cookies 1
php_value session.use_only_cookies 1
php_value session.use_trans_sid 0
php_value session.gc_maxlifetime 14400
php_value arg_separator.output "&"
php_value url_rewriter.tags "a=href,area=href,frame=src,input=src,fieldset="
php_value always_populate_raw_post_data 1

php_value error_log phperror.log
```

create the includes/config.inc with user/pass/database/host

i got an error about timezone, so I added i the file  
date\_default\_timezone\_set('America/Los\_Angeles');

and defined the prefix as such

```
$GLOBALS['dbprefix'] = 'connects_';
```

I got the login screen. I used the MGR/password and did not go anywhere

first time i fill the info, no feedback is given, but I can see the following cookie in firebug (changed domain with XXX below)

```
logon_screen_menu0=%2Fmenu%2Flogon.php; path=/; domain=XXX
menu0=fov5a0ajdf2t23q5inect6uu54; path=/; domain=XXX
```

I do a select of the php\_session table in connects\_audit and I see

```
mysql> select * from php_session\G
***** 1. row *****
session_id: fov5a0ajdf2t23q5inect6uu54
user_id: UNKNOWN
date_created: 2012-12-13 15:15:05
last_updated: 2012-12-13 15:15:05
session_data: cookie_data|a:1:{s:18:"logon_screen_menu0";s:15:"/menu/logon.php
";}log_sql_query|b:0;timezone_server|s:19:"America/Los_Angeles
";XSLT_client_side|b:0;css_file|s:11:"default.css";default_language|s:2:
"en";user_language_array|a:2:{i:0;a:4:{i:0;s:5:"en-us";i:1;s:2: "en";i:2;s:31:"English (United States)
[en_US]";i:3;s:7:"English";}i:1;a:4:{i:0;s:2:"en";i:1;s:2: "en";i:2;s:12:"English
[en]";i:3;s:7:"English";}}}supported_languages|a:1:{s:2:"en
";s:2:"EN";}user_language|s:2:"en";log_xml_document|b:0;pages|a:1:{s:15:
"/menu/logon.php";a:4:{s:7:"task_id";s:5:"logon";s:10:"task_array
";a:1:{s:5:"logon";b:1;}s:5:"logon";a:1:{s:12:"script_count
";i:1;}s:10:"pattern_id";s:5:"logon";}}rowsperpage|i:10;page_stack|a:0:{}
```

1 row in set (0.00 sec)

I try again and I see the same information in firebug, but in addition I get a message in green 'You must log in to access this system.'

logon\_screen\_menu0=%2Fmenu%2Flogon.php; path=/; domain=XXX  
menu0=fov5a0ajdf2t23q5inect6uu54; path=/; domain=XXX

I do a select \* from php\_session; form the connects\_audit table and it comes up empty

Any help would be appreciated to debug this.