

---

Subject: Login problems

Posted by [kumar](#) on Fri, 17 Nov 2006 03:55:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi ,

i am trying to setup Radicore on my laptop and i am running into this problem

Fatal Error: Object of class mysql could not be converted to string (# 4096).

Error in line 284 of file 'C:\wamp\www\wamp\radicore\includes\dml.mysql.class.inc'.

Script: /wamp/radicore/menu/logon.php

User Id: MGR

Remote Address: 127.0.0.1

Request URI: /wamp/radicore/menu/logon.php

can some one help please

---

---

Subject: Re: Login problems

Posted by [AJM](#) on Fri, 17 Nov 2006 11:02:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

That line is trying to call `$this->connect()` within the `getData()` method, and is failing for some reason. The error message you are seeing should not be a fatal error as the code should continue into the error handler. Have you looked in the `errorlog.html` file for an error message? Have you tried stepping through with a debugger to see what response is being returned from MySQL when trying to connect?

---

---

Subject: Re: Login problems

Posted by [kumar](#) on Fri, 17 Nov 2006 18:25:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

thanks for the response.

Here is the thing, I wrote application for a company , in a crude manner with out any framework, as the day in day out enhancements are going on , it has become a messy job , so i was trying to find a framework, thats when i ran into ruby and radicore, i did not like ruby because it does not give me much flexibility.

what kind of debugger is best, i have never used any IDE for PHP programming.

thanks again for your help on this.

thanks  
kumar

---

---

Subject: Re: Login problems  
Posted by [AJM](#) on Fri, 17 Nov 2006 18:36:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Take a look at <http://www.php-editors.com/review/> for a full list of IDEs for PHP.

I used to use PHPEdit from <http://www.waterproof.fr/>, but now I use Zend Studio from [http://www.zend.com/products/zend\\_studio](http://www.zend.com/products/zend_studio). Both allow debugging through the browser.

You can be MUCH more productive with a proper IDE than you can with a plain vanilla text editor, and as far as I am concerned an interactive debugger is worth its weight in gold as it allows you to track down errors in a fraction of the time. My time is worth money, and a debugger saves me time.

---

---

Subject: Re: Login problems  
Posted by [christophed](#) on Tue, 10 Aug 2010 08:38:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello, I also had the same problem.  
I found that the password given for the user DEMO in the table mnu\_user was wrong. The password is not demo, but password.  
You can see that using the decrypt method of the object \$crypt\_obj in the file logon.class.inc.

---

---

Subject: Re: Login problems  
Posted by [christophed](#) on Tue, 10 Aug 2010 09:03:29 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

For your information, all the passwords given in the mnu\_user table are "password".

You can check that including the following code in the logon.class.inc page:

```
$logon_user_id='AJM'; $logon_password = $crypt_obj->decrypt($logon_user_id,  
'N0GxJ{(:aR9]IDE'); trace ("$logon_user_id/$logon_password");  
$logon_user_id='DEMO'; $logon_password = $crypt_obj->decrypt($logon_user_id,  
'vAM`b|5H2(E-|xLI'); trace ("$logon_user_id/$logon_password");  
$logon_user_id='FB'; $logon_password = $crypt_obj->decrypt($logon_user_id,  
';Rc_Gx(3~XPrAZCD'); trace ("$logon_user_id/$logon_password");  
$logon_user_id='JS'; $logon_password = $crypt_obj->decrypt($logon_user_id,
```

```

';,SA1Qo08{(lk.Y-'); trace ("$logon_user_id/$logon_password");
$logon_user_id='MANAGER'; $logon_password = $crypt_obj->decrypt($logon_user_id,
'Y3YP&CWh;HW' +5N'); trace ("$logon_user_id/$logon_password");
$logon_user_id='MGR'; $logon_password = $crypt_obj->decrypt($logon_user_id,
'Nz-3jN6+IK@li^DE'); trace ("$logon_user_id/$logon_password");
$logon_user_id='READONLY'; $logon_password = $crypt_obj->decrypt($logon_user_id,
'QRDpjDD7=%1(X?zx'); trace ("$logon_user_id/$logon_password");
$logon_user_id='SURVEY'; $logon_password = $crypt_obj->decrypt($logon_user_id,
'+wwjJMgFAuJ(1$qS'); trace ("$logon_user_id/$logon_password");
$logon_user_id='SURVEY1'; $logon_password = $crypt_obj->decrypt($logon_user_id,
'Y74z}`oqp)*8URO-'); trace ("$logon_user_id/$logon_password");
$logon_user_id='USER1'; $logon_password = $crypt_obj->decrypt($logon_user_id,
'$Y/R7/=t8_W98TI('); trace ("$logon_user_id/$logon_password");
$logon_user_id='USER2'; $logon_password = $crypt_obj->decrypt($logon_user_id,
'$Y/R7uD,DS=6R,a?'); trace ("$logon_user_id/$logon_password");
$logon_user_id='USER3'; $logon_password = $crypt_obj->decrypt($logon_user_id,
'$Y/R75pZ~Uy#iyF='); trace ("$logon_user_id/$logon_password");

```

That will give you:

```

AJM/password
DEMO/password
FB/password
JS/password
MANAGER/password
MGR/password
READONLY/password
SURVEY/password
SURVEY1/password
USER1/password
USER2/password
USER3/password

```

(I lost 3 days on this.)  
Hope that will help.

---

Subject: Re: Login problems

Posted by [christophed](#) on Tue, 10 Aug 2010 09:24:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I also remark that the very first connection attempt fails without any error.

We can see that it adds an SQL record:

```

INSERT INTO `php_session` (`session_id`, `user_id`, `date_created`, `last_updated`,
`session_data`) VALUES
('95mfoph9dpf2jfetkntk2qc3f1', 'UNKNOWN', '2010-08-10 11:20:22', '2010-08-10 11:20:22',
'log_sql_query|b:0;timezone_server|s:12:"Europe/Paris";XSLT_client_side|s:3:
"off";css_file|s:7:"default";rdcaccount_id|N;default_language|s:2:

```

```
"en";user_language_array|a:2:{i:0;a:4:{i:0;s:5:"en-us";i:1;s:2: "en";i:2;s:31:"English (United States)
[en_US]";i:3;s:7:"English";}i:1;a:4:{i:0;s:2:"en";i:1;s:2: "en";i:2;s:12:"English
[en]";i:3;s:7:"English";}}supported_languages|a:5:{s:2:"de
";s:2:"DE";s:2:"en";s:2:"EN";s:5:"en-ie";s:5:"EN-IE
";s:5:"en-us";s:5:"EN-US";s:2:"sv";s:2:"SV";}user_language|s:5:
"en_us";log_xml_document|b:0;pages|a:1:{s:15:"/menu/logon.php
";a:4:{s:7:"task_id";s:5:"logon";s:10:"task_array";a:1:{s:5:
"logon";b:1;}s:5:"logon";a:1:{s:12:"script_count";i:1;}s:10:
"pattern_id";s:5:"logon";}}rowsperpage|i:10;page_stack|a:0:{});
```

Just log once again and the problem disappears.

---

---

Subject: Re: Login problems

Posted by [AJM](#) on Tue, 10 Aug 2010 10:07:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

The script mnu-user.sql is quite old, and I had failed to realise that all the passwords were set to 'password'. I shall change the DEMO password to 'demo' in the next release.

FYI the installation instructions say that after installing Radicore onto your own server you should use the combination MGR/password to log on. This gives you administrator privileges and allows you access to every part of the system whereas the DEMO user is quite restricted.

If you want to see the current unencrypted user passwords then follow this procedure:

- (1) Logon as an administrator.
  - (2) Go to Update Menu Control data and set Hide Passwords? to 'No'.
  - (3) Go to Enquire User and you will see the password in plain text.
-