

---

Subject: Search when some columns are dropdown lists  
Posted by [David Lee](#) on Mon, 01 Jan 2007 10:00:54 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I have a table with two drop-down selection columns. Within the search screen, the drop-down selection lists appear. However, I do not know how to enable a "don't care" option on either of these drop-down lists, so my searching does not work!

---

Subject: Re: Search when some columns are dropdown lists  
Posted by [AJM](#) on Mon, 01 Jan 2007 10:48:31 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

That's strange. The framework is supposed to automatically insert an "(undefined)" entry in each dropdown list when building a search screen. If you take a look in file include.xml.phpX.inc at line 296 you will see the code. Can you step through with your debugger to see what is happening there?

---

Subject: Re: Search when some columns are dropdown lists  
Posted by [David Lee](#) on Wed, 10 Jan 2007 17:03:41 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Having finally installed a debugger and found some more time, in file include.xml.php4.inc at line 302, `array_key_exists($field, $fieldspec)` evaluates as false, skipping the add blank entry code! The reason is that my lookup table has the key `location_id`, but the main table field is `fklocation_id`.

This practice of prefixing foreign table indexes with `fk` comes from using the QSEE-Superlite program, which I, being a novice in the database world, found very useful for creating the entity relationship diagrams, and then the database structure from those diagrams.

To solve this problem, the first need is to confirm is Radicore should work with this naming convention, or if this breaks the design rules.

That should be easy for you to confirm, Tony!

Regards  
David Lee

---

Subject: Re: Search when some columns are dropdown lists

Posted by [AJM](#) on Wed, 10 Jan 2007 17:28:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Radicore does not use any naming convention, such as an 'fk' prefix, to identify foreign keys. A field becomes a foreign key whenever it is used in a relationship regardless of its name, and it can be used in more than one relationship.

The Radicore framework "knows" that a field is a foreign field when the relationship details are entered into the Data Dictionary and exported to the application. This information is then made available in the \$child\_relations and \$parent\_relations arrays within the '<table>.dict.inc' file

When you are associating a lookup array with a field it is a good idea to have the lookup name the same as the field name as the code has to determine the field type before being able to add a blank entry to the array.

---

---

**Subject: Re: Search when some columns are dropdown lists**

Posted by [David Lee](#) on Wed, 10 Jan 2007 20:32:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

As I understand it, the current code only adds the extra item to the list if \$field is a key in the \$fieldspec array. The keys of the fieldspec array come from the main table to be displayed, and, in my case include fklocation\_id. However, the \$field comes from the lookup table, and, in my case, is location\_id. Therefore, the extra item will not be added, and will only be added if I renamed my fklocation\_id column to location\_id.

This, according to the previous post, should not be needed, and is therefore a bug in the code.

The value of location\_id does appear as a lower level in the \$fieldspec data structure, as the name of the optionlist for fklocation\_id. Should the code check for this variable?

At present I do not understand why this check is in the code at all, but there is probably a very good reason for it, and I would not want to try altering it without understanding that reason!

---

---

**Subject: Re: Search when some columns are dropdown lists**

Posted by [AJM](#) on Wed, 10 Jan 2007 21:10:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

If the contents of lookup array 'location\_id' is to be loaded into field fklocation\_id, then rename the lookup array to 'fklocation\_id'. The name of the lookup array is supposed to be associated with the destination field (the foreign key) not the source field (the primary key). Does that make sense?

Or you can drop the 'fk' suffix so that the foreign key and primary key names are the same.

---

---

**Subject: Re: Search when some columns are dropdown lists**

---

Posted by [David Lee](#) on Wed, 10 Jan 2007 22:01:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

To clarify, are you saying that the foreign key and primary key names MUST be the same in the database (which appears to contradict your post of 17:28 of today), or are you saying that the Radicore system allow an alias type renaming to be introduce (if so, where in the menu system?) or are you saying that the current workaround is to make the foreign key and primary key names the same?

Thanks  
David Lee

---

---

Subject: Re: Search when some columns are dropdown lists

Posted by [AJM](#) on Wed, 10 Jan 2007 23:13:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

No, the foreign key names do not \*have\* to be the same as the primary key names, but my convention is to keep them the same wherever possible.

What I am saying is that to avoid the problem you encountered the lookup array should have the same name as the field in which it will be displayed. So if the field is called 'fklocation\_id' the lookup array should also be called 'fklocation\_id' and not 'location\_id'. The easiest way for the framework to associate a lookup array with a field is if they have the exact same name.

---

---

Subject: Re: Search when some columns are dropdown lists

Posted by [David Lee](#) on Thu, 11 Jan 2007 19:06:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This post is mainly to help any others who come down this same track, rather than pursuing any further options.

As my lookup array comes from another table, this implies that to use this functionality I need to

- 1) Modify the MySQL field name on that table to fklocation\_id
- 2) Re-import the table into radicore
- 3) Re-setup the relationships
- 4) Export the dictionary for that table
- 5) Edited any scripts that reference the old field name

Rather more work than I hoped, especially as in my complete system I have 6 tables which may be used as drop-down lists.

Maybe I should check out two other possibilities I vaguely remember appearing in the documentation:

- 1) Create a subclass with the modified field name - something like this was possible for handling some kind of name conflict
- 2) Can the GetExtraData routine be forced to return the array with the name of fklocation\_id?

Thinking about the possible problems with those routes, I think I had better change the database field names, and keep to Tony's convention, which allows the system to fully work. Otherwise I may find similar problems elsewhere.

I did also try using a pop-up list, and found that such lists assume that the index field is a short form version of the item, and normally display that short form. I had not seen this documented anywhere, but as my index fields are numeric, caused me to drop that idea.

David Lee

---

Subject: Re: Search when some columns are dropdown lists

Posted by [AJM](#) on Thu, 11 Jan 2007 19:40:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

I do not understand point #1 - surely you mean to rename the foreign key from 'fklocation\_id' to 'location\_id' (i.e remove the 'fk' prefix) so that it matches the name of the lookup array. There is no point in ADDING that prefix as it serves no useful purpose.

If you do not wish to rename that field on the database all you have to do is rename the lookup array from 'location\_id' to 'fklocation\_id'. This just means changing one line of code so would be much easier than changing the database.

---

Subject: Re: Search when some columns are dropdown lists

Posted by [David Lee](#) on Fri, 12 Jan 2007 23:17:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Point #1 was just making the two fields the same name - it does not matter if they are both "location\_id" or "fklocation\_id"

However, I have finally realised what you were saying, and/or how to overcome this problem. It requires two small, matching changes:

1) In the data dictionary for the main table, column fklocation\_id, the name of the option list should be fklocation\_id, not location\_id. The updated structure needs exporting to PHP after changing.

2) In the cm\_getExtraData routine of the main table, the name of the key for the required array should be fklocation\_id, not location\_id

Having made those changes, the search dropdown list have the extra entry of "undefined"

Thanks for your help, Tony, and I hope this thread saves someone else some time!

David Lee

---

---

Subject: Re: Search when some columns are dropdown lists

Posted by [AJM](#) on Sat, 13 Jan 2007 10:13:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Perhaps it may be a good idea for me to update the next release as follows:

A dropdown list or radio group is populated from a lookup array which may be obtained at runtime either from the contents of a database table or from an entry in a language\_array.inc file (part of the Internationalisation feature). This array by default contains only non-blank entries, but sometimes a blank entry is required to indicate that no choice has yet been made. This can be done automatically by the framework (using a blank key with a description of "undefined") when the lookup array is loaded into the XML document. Blank entries are NOT required in multi-choice dropdown lists, so the framework needs to check the control type of the field before it knows whether to insert a blank entry or not. The name of the lookup array need not be the same as the field into which that array will be loaded, so the framework will function as follows:

(a) If the lookup array has the same name as a field on the current screen, then it will be assumed that the array belongs to that field.

(b) If the lookup array does not have the same name as a field on the current screen then the framework will step through the contents of \$fieldspec until it finds the entry where "optionlist" contains the name of that lookup array.

Will this be sufficient?

---