
Subject: Task ID/Script ID

Posted by [htManager](#) on Sat, 09 Apr 2016 13:51:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Tony,

when generating i.e. a list1 pattern the Script ID is by default tablename + (pattern id) + .php

If I change this default value and add a prefix value, the list1 script-ID will be generated correctly but the add1, del1 etc. scripts are not generated with the prefix. I have to manually change the scriptnames and the script-ID's in the mnu_task table. Is there a possibility to tell radcore to do this automatically?

Subject: Re: Task ID/Script ID

Posted by [AJM](#) on Sun, 10 Apr 2016 08:51:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

If you change the script_id for a LIST1 pattern that change is only applied to the LIST1 task and is not propagated to any child tasks.

Why do you think you need different prefix values for script_id's?

Subject: Re: Task ID/Script ID

Posted by [htManager](#) on Sun, 10 Apr 2016 18:09:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

I want to list the scripts in a 'for me correct way'. That's the reason.

Subject: Re: Task ID/Script ID

Posted by [AJM](#) on Mon, 11 Apr 2016 09:28:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

The RADICORE naming convention for transaction scripts is <tablename>(<pattern>)[suffix].php. I do not support other naming schemes.

Subject: Re: Task ID/Script ID

Posted by [htManager](#) on Mon, 11 Apr 2016 10:14:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

OK. Thank you.
