
Subject: v1.34 issue with audit_logging and getFieldSpec_original

Posted by [cpscdave](#) on Thu, 03 Apr 2008 23:09:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Tony,

I have not verified if this is also in 1.35.

We are running Apache 2.2.4 and PHP 5.2.0

What appears to be happening is when I set `$table->audit_logging = false;` or `$table->audit_logging = 0;`

All is fine until

```
_dml_insertRecord
```

```
...
```

```
$DML->fieldspec = $this->getFieldSpec_original();
```

In here

```
if (!empty($this->audit_logging)) {  
    $save_audit_logging = $this->audit_logging;  
} // if
```

Is not saving the audit_logging, and then it gets turned back on.

I did some tests:

```
if( $this->tablename == 'history')  
{  
    print "\nIN HISTORY a\n";  
    print "\nal: {$this->audit_logging}a\n";  
    //exit;
```

```
if(!empty($this->audit_logging))  
{  
    print "is not empty would save \n";  
}
```

```
else
```

```
{  
    print "is empty will NOT save\n";  
}
```

```
if(isset($this->audit_logging))
```

```
{  
    print "is set\n";  
}
```

```
else
```

```
{  
    print "is not set\n";  
}
```

```
if($this->audit_logging===false)
{
    print "is false\n";
}
else
{
    print "is not false\n";
}
exit;
}
```

outputs when I do \$table->audit_logging = false;
is empty will NOT save
is set
is false

outputs when I do \$table->audit_logging = 0;
is empty will NOT save
is set
is not false

outputs when I do \$table->audit_logging = true;
is not empty would save
is set
is not false

Perhaps the code should be changed to:

```
if ($this->audit_logging===false) {
    $save_audit_logging = $this->audit_logging;
} // if
```

Is there a standard for setting variables within Radicore?
Should we be using true/false, 1/0, unset()?

Thanks,
SoftElephant
