
Subject: Problem with two list1 transactions on one table
Posted by [bonzo_bcn](#) on Tue, 12 Aug 2008 21:15:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

I have the 'person' table, each person can be of two types (field called 'pers_type'): 'coach' or 'player'.

I'm trying to figure out how to implement this in radicore using two menus, one for persons and one for players.

I created a list1 transaction for table 'person' called 'player(list1)', this generated and assigned as a task button an add1 transaction named person(add1) amongst others.

I then created a second list1 transaction on table 'person' and called it 'coach(list1)', this transaction is automatically assigned the task button person(add1).

My idea was to filter in `_cm_pre_insertRecord` and in `_cm_initialise` using the `$GLOBALS['task_id']` to identify if we are in the 'coach' menu or 'player' menu, and assigning/filtering by the field 'pers_type'.

like this:

```
function _cm_initialise ($where, $selection){  
  
if ($GLOBALS['task_id'] == 'coach(list1)){  
    $vl_tippart = 'E';  
}else{  
    $vl_pers_type = 'P';  
}  
  
if (empty($where)){  
    $where = "pers_type=" . $vl_pers_type . "";  
}else{  
    $where .= "AND pers_type=" . $vl_pers_type . "";  
}  
  
return $where;  
}
```

and this:

```
function _cm_pre_insertRecord($rowdata)  
{  
    if ($GLOBALS['task_id'] == 'coach(add1)){  
        $rowdata['tippart'] = 'E';  
    }else{  
        $rowdata['tippart'] = 'P';  
    }  
    return $rowdata;  
}
```

}

The problem is that I can't create a custom add1 transaction. Both coach(list1) and player(list1) use the same add1 transaction id, therefore I can't filter the records.

So how should I solve this? Easy way is to have two separate tables but I'd rather use the same table.
