
Subject: Re: Missing calculated field in relationship
Posted by [AJM](#) on Mon, 10 Aug 2009 22:10:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

I have run a test using the XAMPLE subsystem which is contained in the Radicore download. I changed the relationship between X_PERSON and X_PERSON_ADDR so that it reads as follows:

```
$this->parent_relations[] = array('parent' => 'x_person',  
                                'parent_field' => 'CONCAT(first_name, \' \', last_name) AS person_name,  
                                value1, value2',  
                                'fields' => array('person_id' => 'person_id'));
```

When I ran the task it generated the following SQL query:

```
SELECT SQL_CALC_FOUND_ROWS x_person_addr.*, CONCAT(x_person.first_name,  
'x_person.last_name) AS person_name, x_person.value1, x_person.value2  
FROM x_person_addr  
LEFT JOIN x_person ON (x_person.person_id=x_person_addr.person_id)  
WHERE x_person_addr.person_id='PA'  
ORDER BY x_person_addr.person_id, x_person_addr.address_no  
LIMIT 10 OFFSET 0
```

As you can see it successfully retrieves multiple fields from the parent table. Can you step through with your debugger to see how the problem relationship is processed in the `_sqlForeignJoin()` method within `'std.table.class.inc'`?
