

---

Subject: php5 mysql5 database problem  
Posted by [augustin](#) on Wed, 10 May 2006 19:37:25 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

i go the following error

This application has encountered an unrecoverable error  
The following has been reported to the administrator:

2006-05-10 09:19:11

Fatal Error: mysqli\_connect(): Cannot connect to database '\*\*\*\*audit'. (# 256).

SQL query: SET names 'UTF8'

Error in line 47 of file 'c:\xampp\htdocs\radicore\includes\dml.mysql.class.inc'.

Script: /radicore/menu/logon.php

Remote Address: 127.0.0.1

Request URI: /radicore/menu/logon.php

anny ideas?

Erik

PHPinfo

PHP Version 5.1.2

System Windows NT SERVER 5.1 build 2600

Build Date Jan 16 2006 07:33:28

Configure Command cscript /nologo configure.js "--enable-snapshot-build"

Server API Apache 2.0 Handler

Virtual Directory Support enabled

Configuration File (php.ini) Path C:\xampp\apache\bin\php.ini

PHP API 20041225

PHP Extension 20050922

Zend Extension 220051025

Debug Build no

Thread Safety enabled

Zend Memory Manager enabled

IPv6 Support enabled

Registered PHP Streams php, file, http, ftp, compress.zlib, https, ftps

Registered Stream Socket Transports tcp, udp, ssl, sslv3, sslv2, tls

Registered Stream Filters convert.iconv.\*, string.rot13, string.toupper, string.tolower, string.strip\_tags, convert.\*, zlib.\*

This program makes use of the Zend Scripting Language Engine:  
Zend Engine v2.1.0, Copyright (c) 1998-2006 Zend Technologies  
with Zend Extension Manager v1.0.10, Copyright (c) 2003-2006, by Zend Technologies  
with Zend Optimizer v3.0.0, Copyright (c) 1998-2006, by Zend Technologies

---

## PHP Credits

---

### Configuration

#### PHP Core

Directive Local Value Master Value

allow\_call\_time\_pass\_reference On On

allow\_url\_fopen On On

always\_populate\_raw\_post\_data Off Off

arg\_separator.input & &

arg\_separator.output & &

asp\_tags Off Off

auto\_append\_file no value no value

auto\_globals\_jit On On

auto\_prepend\_file no value no value

browscap C:\xampp\php\browscap\browscap.ini C:\xampp\php\browscap\browscap.ini

default\_charset no value no value

default\_mimetype text/html text/html

define\_syslog\_variables Off Off

disable\_classes no value no value

disable\_functions no value no value

display\_errors On On

display\_startup\_errors Off Off

doc\_root no value no value

docref\_ext no value no value

docref\_root no value no value

enable\_dl On On

error\_append\_string no value no value

error\_log no value no value

error\_prepend\_string no value no value

error\_reporting 2039 2039

expose\_php On On

extension\_dir C:\xampp\php\ext\ C:\xampp\php\ext\

file\_uploads On On

highlight.bg #FFFFFF #FFFFFF

highlight.comment #FF8000 #FF8000

highlight.default #0000BB #0000BB

highlight.html #000000 #000000

highlight.keyword #007700 #007700  
highlight.string #DD0000 #DD0000  
html\_errors On On  
ignore\_repeated\_errors Off Off  
ignore\_repeated\_source Off Off  
ignore\_user\_abort Off Off  
implicit\_flush Off Off  
include\_path .;C:\xampp\php\pear\ .;C:\xampp\php\pear\  
log\_errors Off Off  
log\_errors\_max\_len 1024 1024  
magic\_quotes\_gpc On On  
magic\_quotes\_runtime Off Off  
magic\_quotes\_sybase Off Off  
mail.force\_extra\_parameters no value no value  
max\_execution\_time 60 60  
max\_input\_time 60 60  
open\_basedir no value no value  
output\_buffering no value no value  
output\_handler no value no value  
post\_max\_size 16M 16M  
precision 12 12  
realpath\_cache\_size 16K 16K  
realpath\_cache\_ttl 120 120  
register\_argc\_argv On On  
register\_globals Off Off  
register\_long\_arrays On On  
report\_memleaks On On  
report zend\_debug On On  
safe\_mode Off Off  
safe\_mode\_exec\_dir no value no value  
safe\_mode\_gid Off Off  
safe\_mode\_include\_dir no value no value  
sendmail\_from erik@augustin.com erik@augustin.com  
sendmail\_path no value no value  
serialize\_precision 100 100  
short\_open\_tag On On  
SMTP localhost localhost  
smtp\_port 25 25  
sql.safe\_mode Off Off  
track\_errors Off Off  
unserialize\_callback\_func no value no value  
upload\_max\_filesize 16M 16M  
upload\_tmp\_dir C:\xampp\tmp C:\xampp\tmp  
user\_dir no value no value  
variables\_order EGPCS EGPCS  
xmlrpc\_error\_number 0 0  
xmlrpc\_errors Off Off  
y2k\_compliance On On

zend.ze1\_compatibility\_mode Off Off

#### apache2handler

Apache Version Apache/2.2.0 (Win32) DAV/2 mod\_ssl/2.2.0 OpenSSL/0.9.8a

mod\_autoindex\_color PHP/5.1.2

Apache API Version 20051115

Server Administrator admin@localhost

Hostname:Port localhost:80

Max Requests Per Child: 0 - Keep Alive: on - Max Per Connection: 100

Timeouts Connection: 300 - Keep-Alive: 5

Virtual Server No

Server Root C:/xampp/apache

Loaded Modules core mod\_win32 mpm\_winnt http\_core mod\_so mod\_actions mod\_alias

mod\_asis mod\_auth\_basic mod\_authn\_default mod\_authn\_file mod\_authz\_default

mod\_authz\_groupfile mod\_authz\_host mod\_authz\_user mod\_cgi mod\_dav mod\_dav\_fs mod\_dir

mod\_env mod\_include mod\_info mod\_isapi util\_ldap mod\_log\_config mod\_mime

mod\_negotiation mod\_setenvif mod\_status mod\_ssl mod\_autoindex\_color mod\_php5

#### Directive Local Value Master Value

engine 1 1

last\_modified 0 0

xbithack 0 0

#### Apache Environment

Variable Value

AuthDigestEnableQueryStringHack On

HTTP\_ACCEPT image/gif, image/x-xbitmap, image/jpeg, image/pjpeg,  
application/x-shockwave-flash, \*/\*

HTTP\_REFERER http://127.0.0.1/xampp/navi.php

HTTP\_ACCEPT\_LANGUAGE nl

HTTP\_ACCEPT\_ENCODING gzip, deflate

HTTP\_USER\_AGENT Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)

HTTP\_HOST 127.0.0.1

HTTP\_CONNECTION Keep-Alive

PATH C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;c:\p hp5;

SystemRoot C:\WINDOWS

COMSPEC C:\WINDOWS\system32\cmd.exe

PATHEXT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH

WINDIR C:\WINDOWS

SERVER\_SIGNATURE <address>Apache/2.2.0 (Win32) DAV/2 mod\_ssl/2.2.0 OpenSSL/0.9.8a  
mod\_autoindex\_color PHP/5.1.2 Server at 127.0.0.1 Port 80</address>

SERVER\_SOFTWARE Apache/2.2.0 (Win32) DAV/2 mod\_ssl/2.2.0 OpenSSL/0.9.8a  
mod\_autoindex\_color PHP/5.1.2

SERVER\_NAME 127.0.0.1

SERVER\_ADDR 127.0.0.1

SERVER\_PORT 80

REMOTE\_ADDR 127.0.0.1  
DOCUMENT\_ROOT C:/xampp/htdocs  
SERVER\_ADMIN admin@localhost  
SCRIPT\_FILENAME C:/xampp/htdocs/xampp/phpinfo.php  
REMOTE\_PORT 1339  
GATEWAY\_INTERFACE CGI/1.1  
SERVER\_PROTOCOL HTTP/1.1  
REQUEST\_METHOD GET  
QUERY\_STRING no value  
REQUEST\_URI /xampp/phpinfo.php  
SCRIPT\_NAME /xampp/phpinfo.php

#### HTTP Headers Information

##### HTTP Request Headers

HTTP Request GET /xampp/phpinfo.php HTTP/1.1

Accept image/gif, image/x-bitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, \*/\*

Referer http://127.0.0.1/xampp/navi.php

Accept-Language nl

Accept-Encoding gzip, deflate

User-Agent Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)

Host 127.0.0.1

Connection Keep-Alive

##### HTTP Response Headers

X-Powered-By PHP/5.1.2

Keep-Alive timeout=5, max=97

Connection Keep-Alive

Transfer-Encoding chunked

Content-Type text/html

#### bcmath

BCMath support enabled

#### calendar

Calendar support enabled

#### com\_dotnet

COM support enabled

DCOM support disabled

.Net support not present in this build

#### Directive Local Value Master Value

com.allow\_dcom 0 0

com.autoregister\_casesensitive 1 1

com.autoregister\_typelib 0 0

com.autoregister\_verbose 0 0  
com.code\_page no value no value  
com.typelib\_file no value no value

ctype  
ctype functions enabled

date  
date/time support enabled  
Timezone Database Version 2005.18  
Timezone Database internal  
Default timezone Europe/Paris

Directive Local Value Master Value  
date.default\_latitude 31.7667 31.7667  
date.default\_longitude 35.2333 35.2333  
date.sunrise\_zenith 90.583333 90.583333  
date.sunset\_zenith 90.583333 90.583333  
date.timezone no value no value

dom  
DOM/XML enabled  
DOM/XML API Version 20031129  
libxml Version 2.6.22  
HTML Support enabled  
XPath Support enabled  
XPointer Support enabled  
Schema Support enabled  
RelaxNG Support enabled

exif  
EXIF Support enabled  
EXIF Version 1.4 \$Id: exif.c,v 1.173.2.4 2006/01/01 12:50:06 sniper Exp \$  
Supported EXIF Version 0220  
Supported filetypes JPEG,TIFF

ftp  
FTP support enabled

gd  
GD Support enabled  
GD Version bundled (2.0.28 compatible)

FreeType Support enabled  
FreeType Linkage with freetype  
FreeType Version 2.1.7  
T1Lib Support enabled  
GIF Read Support enabled  
GIF Create Support enabled  
JPG Support enabled  
PNG Support enabled  
WBMP Support enabled  
XBM Support enabled

gettext  
GetText Support enabled

iconv  
iconv support enabled  
iconv implementation "libiconv"  
iconv library version 1.9

Directive Local Value Master Value  
iconv.input\_encoding ISO-8859-1 ISO-8859-1  
iconv.internal\_encoding ISO-8859-1 ISO-8859-1  
iconv.output\_encoding ISO-8859-1 ISO-8859-1

imap  
IMAP c-Client Version 2004  
SSL Support enabled

libxml  
libXML support active  
libXML Version 2.6.22  
libXML streams enabled

mbstring  
Multibyte Support enabled  
Multibyte string engine libmbfl  
Multibyte (japanese) regex support enabled  
Multibyte regex (oniguruma) version 3.7.1

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive Local Value Master Value

mbstring.detect\_order no value no value  
mbstring.encoding\_translation Off Off  
mbstring.func\_overload 0 0  
mbstring.http\_input pass pass  
mbstring.http\_output pass pass  
mbstring.internal\_encoding no value no value  
mbstring.language neutral neutral  
mbstring.strict\_detection Off Off  
mbstring.substitute\_character no value no value

mime\_magic  
mime\_magic support

Directive Local Value Master Value

mime\_magic.debug Off Off  
mime\_magic.magicfile C:\xampp\php\extras\magic.mime C:\xampp\php\extras\magic.mime

ming  
Ming SWF output library enabled  
Version 0.3beta1

mssql  
MSSQL Support enabled  
Active Persistent Links 0  
Active Links 0  
Library version 7.0

Directive Local Value Master Value

mssql.allow\_persistent On On  
mssql.batchsize 0 0  
mssql.compatability\_mode Off Off  
mssql.connect\_timeout 5 5  
mssql.datetimeconvert On On  
mssql.max\_links Unlimited Unlimited  
mssql.max\_persistent Unlimited Unlimited  
mssql.max\_procs Unlimited Unlimited  
mssql.min\_error\_severity 10 10  
mssql.min\_message\_severity 10 10  
mssql.secure\_connection Off Off  
mssql.textlimit Server default Server default  
mssql.textsize Server default Server default  
mssql.timeout 60 60

mysql



MySQL Support enabled  
Active Persistent Links 0  
Active Links 0  
Client API version 5.0.20

Directive Local Value Master Value  
mysql.allow\_persistent On On  
mysql.connect\_timeout 60 60  
mysql.default\_host no value no value  
mysql.default\_password no value no value  
mysql.default\_port no value no value  
mysql.default\_socket no value no value  
mysql.default\_user no value no value  
mysql.max\_links Unlimited Unlimited  
mysql.max\_persistent Unlimited Unlimited  
mysql.trace\_mode Off Off

mysqli  
Mysqli Support enabled  
Client API version 5.0.20  
MYSQLI\_SOCKET /tmp/mysql.sock

Directive Local Value Master Value  
mysqli.default\_host no value no value  
mysqli.default\_port 3306 3306  
mysqli.default\_pw no value no value  
mysqli.default\_socket no value no value  
mysqli.default\_user no value no value  
mysqli.max\_links Unlimited Unlimited  
mysqli.reconnect Off Off

odbc  
ODBC Support enabled  
Active Persistent Links 0  
Active Links 0  
ODBC library Win32

Directive Local Value Master Value  
odbc.allow\_persistent On On  
odbc.check\_persistent On On  
odbc.default\_db no value no value  
odbc.default\_pw no value no value  
odbc.default\_user no value no value  
odbc.defaultbinmode return as is return as is  
odbc.defaultlrl return up to 4096 bytes return up to 4096 bytes  
odbc.max\_links Unlimited Unlimited

odbc.max\_persistent Unlimited Unlimited

openssl

OpenSSL support enabled

OpenSSL Version OpenSSL 0.9.8a 11 Oct 2005

pcre

PCRE (Perl Compatible Regular Expressions) Support enabled

PCRE Library Version 6.2 01-Aug-2005

pdf

PDF Support enabled

PDFlib GmbH Version 6.0.2

PECL Version 2.0.3

Revision \$Revision: 1.143 \$

PDO

PDO support enabled

PDO drivers mssql, mysql, sqlite2

pdo\_mssql

PDO Driver for MSSQL DB-lib enabled

Flavour MSSQL\_70

pdo\_mysql

PDO Driver for MySQL, client library version 5.0.20

Reflection

Reflection enabled

Version \$Id: php\_reflection.c,v 1.164.2.17 2006/01/01 12:50:12 sniper Exp \$

session

Session Support enabled

Registered save handlers files user sqlite

Registered serializer handlers php php\_binary wddx

Directive Local Value Master Value

session.auto\_start Off Off

session.bug\_compat\_42 On On

session.bug\_compat\_warn On On

session.cache\_expire 180 180  
session.cache\_limiter nocache nocache  
session.cookie\_domain no value no value  
session.cookie\_lifetime 0 0  
session.cookie\_path / /  
session.cookie\_secure Off Off  
session.entropy\_file no value no value  
session.entropy\_length 0 0  
session.gc\_divisor 100 100  
session.gc\_maxlifetime 1440 1440  
session.gc\_probability 1 1  
session.hash\_bits\_per\_character 4 4  
session.hash\_function 0 0  
session.name PHPSESSID PHPSESSID  
session.referer\_check no value no value  
session.save\_handler files files  
session.save\_path C:\xampp\tmp C:\xampp\tmp  
session.serialize\_handler php php  
session.use\_cookies On On  
session.use\_only\_cookies Off Off  
session.use\_trans\_sid 0 0

#### SimpleXML

Simplexml support enabled  
Revision \$Revision: 1.151.2.10 \$  
Schema support enabled

#### soap

Soap Client enabled  
Soap Server enabled

#### Directive Local Value Master Value

soap.wsdl\_cache\_dir C:\xampp\tmp C:\xampp\tmp  
soap.wsdl\_cache\_enabled 1 1  
soap.wsdl\_cache\_ttl 86400 86400

#### sockets

Sockets Support enabled

#### SPL

SPL support enabled  
Interfaces Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject

Classes AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException,

BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

## SQLite

SQLite support enabled

PECL Module version 2.0-dev \$Id: sqlite.c,v 1.166.2.11 2006/01/01 12:50:14 sniper Exp \$

SQLite Library 2.8.17

SQLite Encoding iso8859

Directive Local Value Master Value

sqlite.assoc\_case 0 0

## standard

Regex Library Bundled library enabled

Dynamic Library Support enabled

Internal Sendmail Support for Windows enabled

Directive Local Value Master Value

assert.active 1 1

assert.bail 0 0

assert.callback no value no value

assert.quiet\_eval 0 0

assert.warning 1 1

auto\_detect\_line\_endings 0 0

default\_socket\_timeout 60 60

safe\_mode\_allowed\_env\_vars PHP\_ PHP\_

safe\_mode\_protected\_env\_vars LD\_LIBRARY\_PATH LD\_LIBRARY\_PATH

url\_rewriter.tags a=href,area=href,frame=src,input=src,form=,fieldset=

a=href,area=href,frame=src,input=src,form=,fieldset=

user\_agent no value no value

## tokenizer

Tokenizer Support enabled

## wddx

WDDX Support enabled

WDDX Session Serializer enabled

xml  
XML Support active  
XML Namespace Support active  
libxml2 Version 2.6.22

xmlreader  
XMLReader enabled

xmlrpc  
core library version xmlrpc-epi v. 0.51  
php extension version 0.51  
author Dan Libby  
homepage <http://xmlrpc-epi.sourceforge.net>  
open sourced by [Epinions.com](http://Epinions.com)

xmlwriter  
XMLWriter enabled

xsl  
XSL enabled  
libxslt Version 1.1.15  
libxslt compiled against libxml Version 2.6.22  
EXSLT enabled  
libexslt Version 0.8.12

Zend Optimizer  
Optimization Pass 1 enabled  
Optimization Pass 2 enabled  
Optimization Pass 3 enabled  
Optimization Pass 4 enabled  
Optimization Pass 9 disabled  
Zend Loader disabled  
License Path no value

zip  
Zip support enabled

zlib  
ZLib Support enabled  
Stream Wrapper support compress.zlib://  
Stream Filter support zlib.inflate, zlib.deflate

Compiled Version 1.2.3

Linked Version 1.2.3

Directive Local Value Master Value

zlib.output\_compression Off Off

zlib.output\_compression\_level -1 -1

zlib.output\_handler no value no value

Additional Modules

Module Name

Environment

Variable Value

no value ::=:\

no value C:=C:\xampp

ALLUSERSPROFILE C:\Documents and Settings\All Users

APPDATA C:\Documents and Settings\Administrator\Application Data

CLIENTNAME C600LAPTOP

CommonProgramFiles C:\Program Files\Common Files

COMPUTERNAME SERVER

ComSpec C:\WINDOWS\system32\cmd.exe

FP\_NO\_HOST\_CHECK NO

HOMEDRIVE C:

HOMEPATH \Documents and Settings\Administrator

LOGONSERVER \\SERVER

NUMBER\_OF\_PROCESSORS 1

OS Windows\_NT

Path C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;c:\p hp5;

PATHEXT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH

PROCESSOR\_ARCHITECTURE x86

PROCESSOR\_IDENTIFIER x86 Family 6 Model 5 Stepping 2, GenuineIntel

PROCESSOR\_LEVEL 6

PROCESSOR\_REVISION 0502

ProgramFiles C:\Program Files

PROMPT \$P\$G

SESSIONNAME RDP-Tcp#1

SystemDrive C:

SystemRoot C:\WINDOWS

TEMP C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp

TMP C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp

USERDOMAIN SERVER

USERNAME Administrator

USERPROFILE C:\Documents and Settings\Administrator

windir C:\WINDOWS

AP\_PARENT\_PID 4612

## PHP Variables

### Variable Value

```
_SERVER["AuthDigestEnableQueryStringHack"] On
_SERVER["HTTP_ACCEPT"] image/gif, image/x-xbitmap, image/jpeg, image/pjpeg,
application/x-shockwave-flash, */*
_SERVER["HTTP_REFERER"] http://127.0.0.1/xampp/navi.php
_SERVER["HTTP_ACCEPT_LANGUAGE"] nl
_SERVER["HTTP_ACCEPT_ENCODING"] gzip, deflate
_SERVER["HTTP_USER_AGENT"] Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)
_SERVER["HTTP_HOST"] 127.0.0.1
_SERVER["HTTP_CONNECTION"] Keep-Alive
_SERVER["PATH"] C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;c:\p
hp5;
_SERVER["SystemRoot"] C:\WINDOWS
_SERVER["COMSPEC"] C:\WINDOWS\system32\cmd.exe
_SERVER["PATHEXT"] .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH
_SERVER["WINDIR"] C:\WINDOWS
_SERVER["SERVER_SIGNATURE"] <address>Apache/2.2.0 (Win32) DAV/2 mod_ssl/2.2.0
OpenSSL/0.9.8a mod_autoindex_color PHP/5.1.2 Server at 127.0.0.1 Port 80</address>
_SERVER["SERVER_SOFTWARE"] Apache/2.2.0 (Win32) DAV/2 mod_ssl/2.2.0
OpenSSL/0.9.8a mod_autoindex_color PHP/5.1.2
_SERVER["SERVER_NAME"] 127.0.0.1
_SERVER["SERVER_ADDR"] 127.0.0.1
_SERVER["SERVER_PORT"] 80
_SERVER["REMOTE_ADDR"] 127.0.0.1
_SERVER["DOCUMENT_ROOT"] C:/xampp/htdocs
_SERVER["SERVER_ADMIN"] admin@localhost
_SERVER["SCRIPT_FILENAME"] C:/xampp/htdocs/xampp/phpinfo.php
_SERVER["REMOTE_PORT"] 1339
_SERVER["GATEWAY_INTERFACE"] CGI/1.1
_SERVER["SERVER_PROTOCOL"] HTTP/1.1
_SERVER["REQUEST_METHOD"] GET
_SERVER["QUERY_STRING"] no value
_SERVER["REQUEST_URI"] /xampp/phpinfo.php
_SERVER["SCRIPT_NAME"] /xampp/phpinfo.php
_SERVER["PHP_SELF"] /xampp/phpinfo.php
_SERVER["REQUEST_TIME"] 1147245252
_SERVER["argv"] Array
(
)

_SERVER["argc"] 0
_ENV["ALLUSERSPROFILE"] C:\Documents and Settings\All Users
_ENV["APPDATA"] C:\Documents and Settings\Administrator\Application Data
_ENV["CLIENTNAME"] C600LAPTOP
_ENV["CommonProgramFiles"] C:\Program Files\Common Files
_ENV["COMPUTERNAME"] SERVER
```

```
_ENV["ComSpec"] C:\WINDOWS\system32\cmd.exe
_ENV["FP_NO_HOST_CHECK"] NO
_ENV["HOMEDRIVE"] C:
_ENV["HOMEPATH"] \Documents and Settings\Administrator
_ENV["LOGONSERVER"] \\SERVER
_ENV["NUMBER_OF_PROCESSORS"] 1
_ENV["OS"] Windows_NT
_ENV["Path"] C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;c:\p hp5;
_ENV["PATHEXT"] .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH
_ENV["PROCESSOR_ARCHITECTURE"] x86
_ENV["PROCESSOR_IDENTIFIER"] x86 Family 6 Model 5 Stepping 2, GenuineIntel
_ENV["PROCESSOR_LEVEL"] 6
_ENV["PROCESSOR_REVISION"] 0502
_ENV["ProgramFiles"] C:\Program Files
_ENV["PROMPT"] $P$G
_ENV["SESSIONNAME"] RDP-Tcp#1
_ENV["SystemDrive"] C:
_ENV["SystemRoot"] C:\WINDOWS
_ENV["TEMP"] C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp
_ENV["TMP"] C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp
_ENV["USERDOMAIN"] SERVER
_ENV["USERNAME"] Administrator
_ENV["USERPROFILE"] C:\Documents and Settings\Administrator
_ENV["windir"] C:\WINDOWS
_ENV["AP_PARENT_PID"] 4612
```

#### PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).