
Subject: Re: Virtual Private Database and List 2 pattern
Posted by [htManager](#) on Tue, 03 Jun 2014 12:33:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

Sorry, do you mean the table structure? I sometimes do not know the exact meaning in german.

I also had some problems with difficult character sets, so I changed all character sets to utf8_unicode_ci.

Here is the SQL statement:

```
CREATE TABLE IF NOT EXISTS `htm_db_saisons` (  
  `rdccount_id` int(10) unsigned NOT NULL DEFAULT '1',  
  `verbaende_art_id` varchar(5) CHARACTER SET utf8 COLLATE utf8_unicode_ci NOT NULL,  
  `verbaende_kuerzel` varchar(10) CHARACTER SET utf8 COLLATE utf8_unicode_ci NOT NULL,  
  `vereine_kuerzel` varchar(20) CHARACTER SET utf8 COLLATE utf8_unicode_ci NOT NULL,  
  `saison_id` varchar(10) CHARACTER SET utf8 COLLATE utf8_unicode_ci NOT NULL,  
  `saison_start` date NOT NULL DEFAULT '2014-07-01',  
  `saison_ende` date NOT NULL DEFAULT '2015-06-30',  
  `created_date` datetime NOT NULL DEFAULT '2014-01-01 00:00:00',  
  `created_user` varchar(16) CHARACTER SET utf8 COLLATE utf8_unicode_ci NOT NULL,  
  `revised_date` datetime DEFAULT NULL,  
  `revised_user` varchar(16) CHARACTER SET utf8 COLLATE utf8_unicode_ci DEFAULT NULL,  
  PRIMARY KEY (`rdccount_id`,`verbaende_art_id`,`verbaende_kuerzel`,`ver  
eine_kuerzel`,`saison_id`)  
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
```

```
-- -----  
  
--  
-- Tabellenstruktur für Tabelle `htm_db_vereine`  
--
```

```
CREATE TABLE IF NOT EXISTS `htm_db_vereine` (  
  `rdccount_id` int(10) unsigned NOT NULL DEFAULT '1',  
  `verbaende_art_id` varchar(5) CHARACTER SET utf8 COLLATE utf8_unicode_ci NOT NULL  
DEFAULT 'LV',  
  `verbaende_kuerzel` varchar(10) CHARACTER SET utf8 COLLATE utf8_unicode_ci NOT NULL,  
  `vereine_kuerzel` varchar(20) CHARACTER SET utf8 COLLATE utf8_unicode_ci NOT NULL,  
  `node_id` int(5) unsigned DEFAULT '0',  
  `vereine_name` varchar(255) CHARACTER SET utf8 COLLATE utf8_unicode_ci NOT NULL,  
  `vereine_name_zusatz` varchar(255) CHARACTER SET utf8 COLLATE utf8_unicode_ci  
DEFAULT NULL,  
  `vereine_strasse` varchar(255) CHARACTER SET utf8 COLLATE utf8_unicode_ci DEFAULT  
NULL,  
  `vereine_ikz` varchar(10) CHARACTER SET utf8 COLLATE utf8_unicode_ci DEFAULT NULL,  
  `vereine_plz` varchar(10) CHARACTER SET utf8 COLLATE utf8_unicode_ci DEFAULT NULL,  
  `vereine_ort` varchar(100) CHARACTER SET utf8 COLLATE utf8_unicode_ci DEFAULT NULL,
```

```
`vereine_telefon` varchar(30) CHARACTER SET utf8 COLLATE utf8_unicode_ci DEFAULT
NULL,
`vereine_fax` varchar(30) CHARACTER SET utf8 COLLATE utf8_unicode_ci DEFAULT NULL,
`vereine_email` varchar(100) CHARACTER SET utf8 COLLATE utf8_unicode_ci DEFAULT
NULL,
`vereine_website` varchar(255) CHARACTER SET utf8 COLLATE utf8_unicode_ci DEFAULT
NULL,
`created_date` datetime NOT NULL DEFAULT '2014-01-01 00:00:00',
`created_user` varchar(16) CHARACTER SET utf8 COLLATE utf8_unicode_ci NOT NULL,
`revised_date` datetime DEFAULT NULL,
`revised_user` varchar(16) CHARACTER SET utf8 COLLATE utf8_unicode_ci DEFAULT NULL,
PRIMARY KEY (`rdcaccount_id`,`verbaende_art_id`,`verbaende_kuerzel`,`ver eine_kuerzel`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
```

```
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```
