

---

Subject: Re: BUTTON IN THE DATA AREA

Posted by [edortizq](#) on Sun, 01 Nov 2015 04:11:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Tony,

I installed the last version (1.91) and then modified my script to follow your `_cm_chageConfig()` (only changing variable names) and your language\_text.inc file, what I get is:

```
( ! ) Warning: error_log() [function.error-log]: Failed to connect to mailserver at "localhost" port 25,
verify your "SMTP" and "smtp_port" setting in php.ini or use ini_set() in
D:\AppServ\www\cse\includes\error.inc on line 255
```

Call Stack

# Time Memory Function Location

```
1 0.0004 64352 {main}() ..\tarifa(upd1).php:0
2 0.0036 166488 require( 'D:\AppServ\www\cse\includes\std.update1.inc' ) ..\tarifa(upd1).php:17
3 0.1705 8117160 Default_Table->getData( ) ..\std.update1.inc:111
4 0.1787 8504840 Default_Table->_dml_getData( ) ..\std.table.class.inc:2007
5 0.1787 8506624 mysql->getData( ) ..\std.table.class.inc:7798
6 0.1792 8512320 trigger_error ( ) ..\dml.mysql.class.inc:634
7 0.1792 8512320 errorHandler( ) ..\dml.mysql.class.inc:634
8 0.1860 8604640 error_log ( ) ..\error.inc:255
```

This application has encountered an unrecoverable error

The following has been reported to the administrator:

2015-10-31 23:02:59

Fatal Error: MySQL: Unknown column 'tarifa.printbutton' in 'where clause' (# 1054)

```
SQL query: SELECT SQL_CALC_FOUND_ROWS tarifa.*, evento.descripcionevento,
formatoimpresion.descripcionformato, localidad.descripcionlocalidad,
tipotarifa.descripciontipotarifa FROM tarifa LEFT JOIN evento ON
(evento.idevento=tarifa.idevento) LEFT JOIN formatoimpresion ON
(formatoimpresion.idformatoimpresion=tarifa.idformatoimpresion) LEFT JOIN localidad ON
(localidad.idlocalidad=tarifa.idlocalidad) LEFT JOIN tipotarifa ON
(tipotarifa.idtipotarifa=tarifa.idtipotarifa) WHERE tarifa.idtarifa='4412' AND tarifa.printbutton IS
NULL LIMIT 1 OFFSET 0
```

Error in line 634 of file 'D:\AppServ\www\cse\includes\dml.mysql.class.inc'.

Host Info: localhost via TCP/IP

Server Version: 5.0.51b-community-nt-log

Client Version: 5.0.51a, Character sets - client: utf8, - connection: utf8, - database: utf8, - server: utf8

PHP\_SELF: /cse/access/tarifa(upd1).php

CURRENT DIRECTORY: D:\AppServ\www\cse\access

SERVER\_ADDR: 127.0.0.1

SERVER\_NAME: localhost

HTTP\_HOST: localhost

User Id: MGR

Role Id: GLOBAL

REMOTE\_ADDR: 127.0.0.1

REQUEST\_URI: /cse/access/tarifa(upd1).php?session\_name=menu4

Can you suggest me where should I look for in order to debug and see what's happening?  
Thanks for advance

---