Subject: Re: BUTTON IN THE DATA AREA
Posted by edortizq on Sun, 01 Nov 2015 04:11:04 GMT
View Forum Message <> Reply to Message

Hi Tony,
I installed the last version (1.91) and then modified my script to follow your _cm_chageConfig() (only changing variable names) and your language_text.inc file, what I get is:

(!) Warning: error_log() [function.error-log]: Failed to connect to mailserver at "localhost" port 25, verify your "SMTP" and "smtp_port" setting in php.ini or use ini_set() in D:\AppServ\www\cse\includes\error.inc on line 255
Call Stack
Time Memory Function Location
1 0.0004 64352 {main}( ) ..\tarifa(upd1).php:0
2 0.0036 166488 require('D:\AppServ\www\cse\includes\std.update1.inc') ..\tarifa(upd1).php:17
3 0.1705 8117160 Default_Table->getData( ) ..\std.update1.inc:111
4 0.1787 8504840 Default_Table->_dml_getData( ) ..\std.table.class.inc:2007
5 0.1787 8506624 mysql->getData( ) ..\std.table.class.inc:7798
6 0.1792 8512320 trigger_error ( ) ..\dml.mysqli.class.inc:634
7 0.1792 8512320 errorHandler( ) ..\dml.mysqli.class.inc:634
8 0.1860 8604640 error_log ( ) ..\error.inc:255
This application has encountered an unrecoverable error

The following has been reported to the administrator:

2015-10-31 23:02:59

Fatal Error: MySQL: Unknown column 'tarifa.printbutton' in 'where clause' (# 1054)

SQL query: SELECT SQL_CALC_FOUND_ROWS tarifa.*, evento.descripcionevento, formatoimpresion.descripcionformato, localidad.descripcionlocalidad, tipotarifa.descripciontipotarifa FROM tarifa LEFT JOIN evento ON (evento.idevento=tarifa.idevento) LEFT JOIN formatoimpresion ON (formatoimpresion.idformatoimpresion=tarifa.idformatoimpresi on) LEFT JOIN localidad ON (localidad.idlocalidad=tarifa.idlocalidad) LEFT JOIN tipotarifa ON (tipotarifa.idtipotarifa=tarifa.idtipotarifa) WHERE tarifa.idtarifa='4412' AND tarifa.printbutton IS NULL LIMIT 1 OFFSET 0

Error in line 634 of file 'D:\AppServ\www\cse\includes\dml.mysqli.class.inc'.

Host Info: localhost via TCP/IP
Server Version: 5.0.51b-community-nt-log
Client Version: 5.0.51a, Character sets - client: utf8, - connection: utf8, - database: utf8, - server: utf8

PHP_SELF: /cse/access/tarifa(upd1).php

CURRENT DIRECTORY: D:\AppServ\www\cse\access

SERVER_ADDR: 127.0.0.1

SERVER_NAME: localhost

HTTP_HOST: localhost

User Id: MGR

Role Id: GLOBAL

REMOTE_ADDR: 127.0.0.1

REQUEST_URI: /cse/access/tarifa(upd1).php?session_name=menu4

Can you suggest me where should I look for in order to debug and see what's happening?
Thanks for advance
