
Subject: Re: How to deal with multiple inserts in ADD1 pattern

Posted by kong on Mon, 19 Sep 2016 16:39:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

Tried to work around this problem by using unique id rather than auto increment as primary key, in that way any duplicate inserts should have been caught by Radicore built-in checks as described here: [http:// www.tonymarston.net/php-mysql/functions-and-variables.html#notes._dml_insertrecord](http://www.tonymarston.net/php-mysql/functions-and-variables.html#notes._dml_insertrecord).

However, the odd thing is that those Radicore's built-in checks for duplicate primary key don't always work, cause I ended up with fatal errors when triple clicking the ADD1 submit button:
Fatal Error: MySQL: Duplicate entry 'abc' for key 'PRIMARY' (# 1062)

I can see in the sql log that the insert operation happened successfully once, while the framework's duplicate key check happened multiple times:

```
SELECT count(*) FROM acc_cash_transfer WHERE acc_cash_transfer_id='ABC123'=>Count=0  
each time returning 0.
```

Here is the full log:

```
***** \accounting\acc_cash_transfer(add1).php 2016-09-19 23:39:24  
SET names 'UTF8'  
SET time_zone = '+08:00'  
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)  
SELECT SQL_CALC_FOUND_ROWS * FROM php_session WHERE  
session_id='043u6pg4q6rvjrc03dkpavo3t0' =>Count=1  
SET names 'UTF8'  
SET time_zone = '+08:00'  
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)  
START TRANSACTION (SET AUTOCOMMIT=0)  
SELECT count(*) FROM acc_cash_transfer WHERE acc_cash_transfer_id='ABC123'=>Count=0  
INSERT INTO acc_cash_transfer SET `acc_cash_transfer_id`='ABC123', `transfer_date`=NULL,  
`user_id_from`='1', `user_id_to`='2', `cash_amount`=NULL, `comment`=NULL,  
`sender_confirmed`='0', `receiver_confirmed`='0', `created_date`='2016-09-19 23:39:24',  
`created_user`='EKL'  
SELECT max(tran_seq_no) FROM audit_trn WHERE session_id='583'=>Count=1
```

```
***** \accounting\acc_cash_transfer(add1).php 2016-09-19 23:39:25  
SET names 'UTF8'  
SET time_zone = '+08:00'  
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)  
INSERT INTO audit_trn SET `session_id`='583', `tran_seq_no`='2',  
`task_id`='acc_cash_transfer(add1)', `trn_datetime`='2016-09-19 23:39:24'  
SELECT max(table_seq_no) FROM audit_tbl WHERE session_id='583' AND tran_seq_no=2  
SELECT SQL_CALC_FOUND_ROWS * FROM php_session WHERE  
session_id='043u6pg4q6rvjrc03dkpavo3t0' =>Count=1  
SET names 'UTF8'  
SET time_zone = '+08:00'  
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)  
START TRANSACTION (SET AUTOCOMMIT=0)
```

```

SELECT count(*) FROM acc_cash_transfer WHERE acc_cash_transfer_id='ABC123'=>Count=0
INSERT INTO audit_tbl SET `session_id`='583', `tran_seq_no`='2', `table_seq_no`='1',
`base_name`='dev_accounting', `table_name`='acc_cash_transfer',
`pkey`='acc_cash_transfer_id='\ABC123\'
SELECT count(*) FROM audit_fld WHERE session_id='583' AND tran_seq_no='2' AND
table_seq_no='1' AND field_id='acc_cash_transfer_id'=>Count=0
INSERT INTO audit_fld SET `session_id`='583', `tran_seq_no`='2', `table_seq_no`='1',
`field_id`='acc_cash_transfer_id', `old_value`=NULL, `new_value`='ABC123'
SELECT count(*) FROM audit_fld WHERE session_id='583' AND tran_seq_no='2' AND
table_seq_no='1' AND field_id='user_id_from'=>Count=0

```

***** \accounting\acc_cash_transfer(add1).php 2016-09-19 23:39:25

```

SET names 'UTF8'
SET time_zone = '+08:00'
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)
INSERT INTO audit_fld SET `session_id`='583', `tran_seq_no`='2', `table_seq_no`='1',
`field_id`='user_id_from', `old_value`=NULL, `new_value`='1'
SELECT count(*) FROM audit_fld WHERE session_id='583' AND tran_seq_no='2' AND
table_seq_no='1' AND field_id='user_id_to'=>Count=0
SELECT SQL_CALC_FOUND_ROWS * FROM php_session WHERE
session_id='043u6pg4q6rvjrc03dkpavo3t0' =>Count=1
SET names 'UTF8'
SET time_zone = '+08:00'
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)
START TRANSACTION (SET AUTOCOMMIT=0)
SELECT count(*) FROM acc_cash_transfer WHERE acc_cash_transfer_id='ABC123'=>Count=0
INSERT INTO audit_fld SET `session_id`='583', `tran_seq_no`='2', `table_seq_no`='1',
`field_id`='user_id_to', `old_value`=NULL, `new_value`='2'
SELECT count(*) FROM audit_fld WHERE session_id='583' AND tran_seq_no='2' AND
table_seq_no='1' AND field_id='sender_confirmed'=>Count=0
INSERT INTO audit_fld SET `session_id`='583', `tran_seq_no`='2', `table_seq_no`='1',
`field_id`='sender_confirmed', `old_value`=NULL, `new_value`='0'
SELECT count(*) FROM audit_fld WHERE session_id='583' AND tran_seq_no='2' AND
table_seq_no='1' AND field_id='receiver_confirmed'=>Count=0
INSERT INTO audit_fld SET `session_id`='583', `tran_seq_no`='2', `table_seq_no`='1',
`field_id`='receiver_confirmed', `old_value`=NULL, `new_value`='0'
SELECT count(*) FROM audit_fld WHERE session_id='583' AND tran_seq_no='2' AND
table_seq_no='1' AND field_id='created_date'=>Count=0
INSERT INTO audit_fld SET `session_id`='583', `tran_seq_no`='2', `table_seq_no`='1',
`field_id`='created_date', `old_value`=NULL, `new_value`='2016-09-19 23:39:24'
SELECT count(*) FROM audit_fld WHERE session_id='583' AND tran_seq_no='2' AND
table_seq_no='1' AND field_id='created_user'=>Count=0
INSERT INTO audit_fld SET `session_id`='583', `tran_seq_no`='2', `table_seq_no`='1',
`field_id`='created_user', `old_value`=NULL, `new_value`='EKL'
SELECT SQL_CALC_FOUND_ROWS workflow_id, workflow_name FROM wf_workflow
WHERE start_task_id='acc_cash_transfer(add1)' AND is_valid='Y' AND start_date<='2016-09-19'
AND end_date>='2016-09-19' ORDER BY workflow_id asc LOCK IN SHARE MODE=>Count=0
COMMIT; UNLOCK TABLES; SET AUTOCOMMIT=1

```

```

SELECT SQL_CALC_FOUND_ROWS * FROM php_session WHERE
session_id='043u6pg4q6rvjrc03dkpavo3t0' LIMIT 1=>Count=1
UPDATE php_session SET `last_updated`=now(), `session_data`='...;' WHERE
session_id='043u6pg4q6rvjrc03dkpavo3t0'=>Count=1
SET names 'UTF8'
SET time_zone = '+08:00'
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)
DELETE FROM php_session WHERE last_updated < DATE_SUB(NOW(), INTERVAL 14400
SECOND)=>Count=0
ROLLBACK; UNLOCK TABLES
ROLLBACK; UNLOCK TABLES
SELECT SQL_CALC_FOUND_ROWS * FROM mnu_user WHERE user_id='EKL' =>Count=1
SELECT SQL_CALC_FOUND_ROWS * FROM mnu_user WHERE user_id='EKL' =>Count=1
UPDATE mnu_user SET `in_use`='N', `revised_date`='2016-09-19 23:39:26',
`revised_user`='EKL' WHERE user_id='EKL'=>Count=1
SELECT max(tran_seq_no) FROM audit_trn WHERE session_id='583'=>Count=2
UPDATE mnu_user SET `in_use`='N', `revised_date`='2016-09-19 23:39:26',
`revised_user`='EKL' WHERE user_id='EKL'=>Count=0
SELECT max(tran_seq_no) FROM audit_trn WHERE session_id='583'=>Count=2
INSERT INTO audit_trn SET `session_id`='583', `tran_seq_no`='3', `task_id`='logoff',
`trn_datetime`='2016-09-19 23:39:26'
SELECT max(table_seq_no) FROM audit_tbl WHERE session_id='583' AND tran_seq_no=3
INSERT INTO audit_trn SET `session_id`='583', `tran_seq_no`='4', `task_id`='logoff',
`trn_datetime`='2016-09-19 23:39:26'
SELECT max(table_seq_no) FROM audit_tbl WHERE session_id='583' AND tran_seq_no=4
INSERT INTO audit_tbl SET `session_id`='583', `tran_seq_no`='3', `table_seq_no`='1',
`base_name`='dev_menu', `table_name`='mnu_user', `pkey`='user_id=\EKL\'
SELECT count(*) FROM audit_fld WHERE session_id='583' AND tran_seq_no='3' AND
table_seq_no='1' AND field_id='in_use'=>Count=0
INSERT INTO audit_tbl SET `session_id`='583', `tran_seq_no`='4', `table_seq_no`='1',
`base_name`='dev_menu', `table_name`='mnu_user', `pkey`='user_id=\EKL\'
SELECT count(*) FROM audit_fld WHERE session_id='583' AND tran_seq_no='4' AND
table_seq_no='1' AND field_id='in_use'=>Count=0
INSERT INTO audit_fld SET `session_id`='583', `tran_seq_no`='3', `table_seq_no`='1',
`field_id`='in_use', `old_value`='Y', `new_value`='N'
SELECT count(*) FROM audit_fld WHERE session_id='583' AND tran_seq_no='3' AND
table_seq_no='1' AND field_id='revised_date'=>Count=0
INSERT INTO audit_fld SET `session_id`='583', `tran_seq_no`='4', `table_seq_no`='1',
`field_id`='in_use', `old_value`='Y', `new_value`='N'
SELECT count(*) FROM audit_fld WHERE session_id='583' AND tran_seq_no='4' AND
table_seq_no='1' AND field_id='revised_date'=>Count=0
INSERT INTO audit_fld SET `session_id`='583', `tran_seq_no`='3', `table_seq_no`='1',
`field_id`='revised_date', `old_value`='2016-09-19 22:51:10', `new_value`='2016-09-19 23:39:26'
SELECT count(*) FROM audit_fld WHERE session_id='583' AND tran_seq_no='3' AND
table_seq_no='1' AND field_id='revised_user'=>Count=0
INSERT INTO audit_fld SET `session_id`='583', `tran_seq_no`='4', `table_seq_no`='1',
`field_id`='revised_date', `old_value`='2016-09-19 22:51:10', `new_value`='2016-09-19 23:39:26'
SELECT count(*) FROM audit_fld WHERE session_id='583' AND tran_seq_no='4' AND

```

```

table_seq_no='1' AND field_id='revised_user'=>Count=0
INSERT INTO audit_fld SET `session_id`='583', `tran_seq_no`='3', `table_seq_no`='1',
`field_id`='revised_user', `old_value`='EKL', `new_value`='EKL'
INSERT INTO audit_fld SET `session_id`='583', `tran_seq_no`='4', `table_seq_no`='1',
`field_id`='revised_user', `old_value`='EKL', `new_value`='EKL'
DELETE FROM php_session WHERE session_id='043u6pg4q6rvjrc03dkpavo3t0'=>Count=0
DELETE FROM php_session WHERE last_updated < DATE_SUB(NOW(), INTERVAL 14400
SECOND)=>Count=0
DELETE FROM php_session WHERE session_id='043u6pg4q6rvjrc03dkpavo3t0'=>Count=1
DELETE FROM php_session WHERE last_updated < DATE_SUB(NOW(), INTERVAL 14400
SECOND)=>Count=0

```

So, then I tried replicate this problem by multi-clicking submit button when creating a new subsystem, which turned out the Radicore built-in duplicate checks did work and a validation error message was returned correctly: A record already exists with this ID.

The sql log in this case showed SELECT count(*) FROM mnu_subsystem WHERE subsys_id='ABC123'=>Count=0 returned 0 only the first time, while subsequent checks returned 1 as it should: SELECT count(*) FROM mnu_subsystem WHERE subsys_id='ABC123'=>Count=1

Following is the full log:

```

**** \menu\mnu_subsystem(add1).php 2016-09-19 23:52:01
SET names 'UTF8'
SET time_zone = '+08:00'
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)
SELECT SQL_CALC_FOUND_ROWS * FROM php_session WHERE
session_id='1rticv7i69gercel9jl61iifj6' =>Count=1
START TRANSACTION (SET AUTOCOMMIT=0)
SELECT count(*) FROM mnu_subsystem WHERE subsys_id='ABC123'=>Count=0
INSERT INTO mnu_subsystem SET `subsys_id`='ABC123', `subsys_desc`='123',
`subsys_dir`='123', `task_prefix`=NULL, `created_date`='2016-09-19 23:52:01',
`created_user`='EKL'
SELECT max(tran_seq_no) FROM audit_trn WHERE session_id='578'=>Count=14
INSERT INTO audit_trn SET `session_id`='578', `tran_seq_no`='15',
`task_id`='mnu_subsystem(add1)', `trn_datetime`='2016-09-19 23:52:01'
SELECT max(table_seq_no) FROM audit_tbl WHERE session_id='578' AND tran_seq_no=15
INSERT INTO audit_tbl SET `session_id`='578', `tran_seq_no`='15', `table_seq_no`='1',
`base_name`='dev_menu', `table_name`='mnu_subsystem', `pkey`='subsys_id=\ABC123\"
SELECT count(*) FROM audit_fld WHERE session_id='578' AND tran_seq_no='15' AND
table_seq_no='1' AND field_id='subsys_id'=>Count=0
INSERT INTO audit_fld SET `session_id`='578', `tran_seq_no`='15', `table_seq_no`='1',
`field_id`='subsys_id', `old_value`=NULL, `new_value`='ABC123'
SELECT count(*) FROM audit_fld WHERE session_id='578' AND tran_seq_no='15' AND
table_seq_no='1' AND field_id='subsys_desc'=>Count=0
INSERT INTO audit_fld SET `session_id`='578', `tran_seq_no`='15', `table_seq_no`='1',
`field_id`='subsys_desc', `old_value`=NULL, `new_value`='123'
SELECT count(*) FROM audit_fld WHERE session_id='578' AND tran_seq_no='15' AND
table_seq_no='1' AND field_id='subsys_dir'=>Count=0
INSERT INTO audit_fld SET `session_id`='578', `tran_seq_no`='15', `table_seq_no`='1',

```

```

`field_id`='subsys_dir', `old_value`=NULL, `new_value`='123'
SELECT count(*) FROM audit_fld WHERE session_id='578' AND tran_seq_no='15' AND
table_seq_no='1' AND field_id='created_date'=>Count=0
INSERT INTO audit_fld SET `session_id`='578', `tran_seq_no`='15', `table_seq_no`='1',
`field_id`='created_date', `old_value`=NULL, `new_value`='2016-09-19 23:52:01'
SELECT count(*) FROM audit_fld WHERE session_id='578' AND tran_seq_no='15' AND
table_seq_no='1' AND field_id='created_user'=>Count=0
INSERT INTO audit_fld SET `session_id`='578', `tran_seq_no`='15', `table_seq_no`='1',
`field_id`='created_user', `old_value`=NULL, `new_value`='EKL'

```

***** \menu\mnu_subsystem(add1).php 2016-09-19 23:52:02

```

SET names 'UTF8'
SET time_zone = '+08:00'
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)
SELECT SQL_CALC_FOUND_ROWS * FROM php_session WHERE
session_id='1rticv7i69gercel9jl61iifj6' =>Count=1
START TRANSACTION (SET AUTOCOMMIT=0)
SELECT SQL_CALC_FOUND_ROWS workflow_id, workflow_name FROM wf_workflow
WHERE start_task_id='mnu_subsystem(add1)' AND is_valid='Y' AND start_date<='2016-09-19'
AND end_date>='2016-09-19' ORDER BY workflow_id asc LOCK IN SHARE MODE=>Count=0
SELECT count(*) FROM mnu_subsystem WHERE subsys_id='ABC123'=>Count=1
ROLLBACK; UNLOCK TABLES
SELECT SQL_CALC_FOUND_ROWS mnu_role.role_id, global_access, (SELECT
GROUP_CONCAT(role_id ORDER BY role_id SEPARATOR ',') FROM mnu_user_role WHERE
user_id='EKL') AS role_list FROM mnu_role
LEFT JOIN mnu_user_role AS mur ON (mur.user_id='EKL' AND mur.is_primary='Y') WHERE
mnu_role.role_id=mur.role_id ORDER BY mnu_role.role_id asc =>Count=1
COMMIT; UNLOCK TABLES; SET AUTOCOMMIT=1
SELECT SQL_CALC_FOUND_ROWS * FROM php_session WHERE
session_id='1rticv7i69gercel9jl61iifj6' LIMIT 1=>Count=1
SELECT SQL_CALC_FOUND_ROWS x.task_id, x.task_desc, x.script_id, x.pattern_id,
x.is_disabled, mnu_nav_button.button_text, mnu_nav_button.context_preselect,
mnu_nav_button.sort_seq FROM mnu_nav_button LEFT JOIN mnu_task ON (mnu_task.task_id
= mnu_nav_button.task_id_snr) LEFT JOIN mnu_task AS x ON (x.task_id =
mnu_nav_button.task_id_jnr) WHERE mnu_task.task_id='mnu_subsystem(add1)' HAVING
x.is_disabled='N' ORDER BY mnu_nav_button.sort_seq asc =>Count=0

```

***** \menu\mnu_subsystem(add1).php 2016-09-19 23:52:02

```

SET names 'UTF8'
SET time_zone = '+08:00'
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)
SELECT SQL_CALC_FOUND_ROWS * FROM php_session WHERE
session_id='1rticv7i69gercel9jl61iifj6' =>Count=1
SELECT SQL_CALC_FOUND_ROWS * FROM php_session WHERE
session_id='1rticv7i69gercel9jl61iifj6' LIMIT 1=>Count=1
UPDATE php_session SET `last_updated`=now(), `session_data`='...;' WHERE
session_id='1rticv7i69gercel9jl61iifj6'=>Count=1
SET names 'UTF8'

```

```

SET time_zone = '+08:00'
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)
DELETE FROM php_session WHERE last_updated < DATE_SUB(NOW(), INTERVAL 14400
SECOND)=>Count=0
UPDATE php_session SET `last_updated`=now(), `session_data`='...;' WHERE
session_id='1rticv7i69gercel9jl61iifj6'=>Count=1
SET names 'UTF8'
SET time_zone = '+08:00'
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)
DELETE FROM php_session WHERE last_updated < DATE_SUB(NOW(), INTERVAL 14400
SECOND)=>Count=0
SELECT SQL_CALC_FOUND_ROWS mnu_task.task_id, mnu_task.task_desc,
mnu_task.button_text, mnu_task.task_type, mnu_task.script_id, mnu_task.is_disabled,
mnu_task.pattern_id, mnu_task.subsys_id, mnu_task.initial_passthru, mnu_task.selection_fixed,
mnu_task.selection_temp, mnu_task.settings, mnu_task.order_by, mnu_task.keep_data,
mnu_task.log_sql_query, mnu_task.screen_refresh, mnu_task.use_https,
mnu_task.max_execution_time, mnu_task.task_id_run_at_end, mnu_task.task_id_run_at_cancel,
mnu_task.created_date, mnu_task.created_user, mnu_task.revised_date,
mnu_task.revised_user, mnu_pattern.pattern_desc, mnu_subsystem.subsys_desc,
mnu_task_passthru.task_desc AS task_desc_passthru, mnu_task_run_at_end.task_desc AS
task_desc_run_at_end, mnu_task_run_at_cancel.task_desc AS task_desc_run_at_cancel FROM
mnu_task LEFT JOIN mnu_pattern ON (mnu_pattern.pattern_id=mnu_task.pattern_id) LEFT
JOIN mnu_subsystem ON (mnu_subsystem.subsys_id=mnu_task.subsys_id) LEFT JOIN
mnu_task AS mnu_task_passthru ON (mnu_task_passthru.task_id=mnu_task.initial_passthru)
LEFT JOIN mnu_task AS mnu_task_run_at_end ON
(mnu_task_run_at_end.task_id=mnu_task.task_id_run_at_end) LEFT JOIN mnu_task AS
mnu_task_run_at_cancel ON
(mnu_task_run_at_cancel.task_id=mnu_task.task_id_run_at_cancel) WHERE
mnu_task.task_id='mnu_subsystem(add1)' ORDER BY mnu_task.task_id asc =>Count=1
SET names 'UTF8'
SET time_zone = '+08:00'
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)
SELECT SQL_CALC_FOUND_ROWS * FROM php_session WHERE
session_id='1rticv7i69gercel9jl61iifj6' LIMIT 1=>Count=1
UPDATE php_session SET `last_updated`=now(), `session_data`='...;' WHERE
session_id='1rticv7i69gercel9jl61iifj6'=>Count=1
SET names 'UTF8'
SET time_zone = '+08:00'
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)
DELETE FROM php_session WHERE last_updated < DATE_SUB(NOW(), INTERVAL 14400
SECOND)=>Count=0

***** \menu\mnu_subsystem(add1).php 2016-09-19 23:52:03
SET names 'UTF8'
SET time_zone = '+08:00'
SET SESSION sql_mode=CONCAT('ANSI_QUOTES',@@sql_mode)
SELECT SQL_CALC_FOUND_ROWS * FROM php_session WHERE
session_id='1rticv7i69gercel9jl61iifj6' =>Count=1

```

```

START TRANSACTION (SET AUTOCOMMIT=0)
SELECT count(*) FROM mnu_subsystem WHERE subsys_id='ABC123'=>Count=1
ROLLBACK; UNLOCK TABLES
SELECT SQL_CALC_FOUND_ROWS mnu_role.role_id, global_access, (SELECT
GROUP_CONCAT(role_id ORDER BY role_id SEPARATOR ',') FROM mnu_user_role WHERE
user_id='EKL') AS role_list FROM mnu_role
LEFT JOIN mnu_user_role AS mur ON (mur.user_id='EKL' AND mur.is_primary='Y') WHERE
mnu_role.role_id=mur.role_id ORDER BY mnu_role.role_id asc =>Count=1
SELECT SQL_CALC_FOUND_ROWS x.task_id, x.task_desc, x.script_id, x.pattern_id,
x.is_disabled, mnu_nav_button.button_text, mnu_nav_button.context_preselect,
mnu_nav_button.sort_seq FROM mnu_nav_button LEFT JOIN mnu_task ON (mnu_task.task_id
= mnu_nav_button.task_id_snr) LEFT JOIN mnu_task AS x ON (x.task_id =
mnu_nav_button.task_id_jnr) WHERE mnu_task.task_id='mnu_subsystem(add1)' HAVING
x.is_disabled='N' ORDER BY mnu_nav_button.sort_seq asc =>Count=0
SELECT SQL_CALC_FOUND_ROWS mnu_task.task_id, mnu_task.task_desc,
mnu_task.button_text, mnu_task.task_type, mnu_task.script_id, mnu_task.is_disabled,
mnu_task.pattern_id, mnu_task.subsys_id, mnu_task.initial_passthru, mnu_task.selection_fixed,
mnu_task.selection_temp, mnu_task.settings, mnu_task.order_by, mnu_task.keep_data,
mnu_task.log_sql_query, mnu_task.screen_refresh, mnu_task.use_https,
mnu_task.max_execution_time, mnu_task.task_id_run_at_end, mnu_task.task_id_run_at_cancel,
mnu_task.created_date, mnu_task.created_user, mnu_task.revised_date,
mnu_task.revised_user, mnu_pattern.pattern_desc, mnu_subsystem.subsys_desc,
mnu_task_passthru.task_desc AS task_desc_passthru, mnu_task_run_at_end.task_desc AS
task_desc_run_at_end, mnu_task_run_at_cancel.task_desc AS task_desc_run_at_cancel FROM
mnu_task LEFT JOIN mnu_pattern ON (mnu_pattern.pattern_id=mnu_task.pattern_id) LEFT
JOIN mnu_subsystem ON (mnu_subsystem.subsys_id=mnu_task.subsys_id) LEFT JOIN
mnu_task AS mnu_task_passthru ON (mnu_task_passthru.task_id=mnu_task.initial_passthru)
LEFT JOIN mnu_task AS mnu_task_run_at_end ON
(mnu_task_run_at_end.task_id=mnu_task.task_id_run_at_end) LEFT JOIN mnu_task AS
mnu_task_run_at_cancel ON
(mnu_task_run_at_cancel.task_id=mnu_task.task_id_run_at_cancel) WHERE
mnu_task.task_id='mnu_subsystem(add1)' ORDER BY mnu_task.task_id asc =>Count=1
SET names 'UTF8'
SET time_zone = '+08:00'
SET SESSION sql_mode=CONCAT('ANSI_QUOTES', '@@sql_mode)
SELECT SQL_CALC_FOUND_ROWS * FROM php_session WHERE
session_id='1rticv7i69gercel9jl61iifj6' LIMIT 1=>Count=1
UPDATE php_session SET `last_updated`=now(), `session_data`='...;' WHERE
session_id='1rticv7i69gercel9jl61iifj6'=>Count=1
SET names 'UTF8'
SET time_zone = '+08:00'
SET SESSION sql_mode=CONCAT('ANSI_QUOTES', '@@sql_mode)
DELETE FROM php_session WHERE last_updated < DATE_SUB(NOW(), INTERVAL 14400
SECOND)=>Count=0

```

I explored some more and noticed that especially in newly created subsystems with just 1 simple table, this bug could be replicated more readily than in complicated subsystems such as the

MENU subsystem. Maybe this is because complicated subsystems have to serialize much more session data than simple subsystems and somehow this gives the first Insert statement enough time to be committed before the next duplicate key check happens. While for the simple subsystems, none of the Insert statements have been committed before the duplicate key checks happen, so all duplicate key checks return 0 resulting in multiple duplicate Insert statements to be committed afterwards and the database returning fatal error crashing the application.
