Subject: Not processing $javascript['foot'][]['code']
Posted by kong on Sat, 01 Oct 2016 04:27:15 GMT
View Forum Message <> Reply to Message

Note that http:// www.tonymarston.net/php-mysql/radicore-and-javascript.html#f oot.element has been implemented only for the 'file' option, as shown in include.xml.php5.inc, function setJavaScript:

```
        if (isset($javascript['foot'])) {
            $file_array = array();
            foreach ($javascript['foot'] as $entry) {
                if (key($entry) == 'file') {
                    if (in_array($entry, $file_array)) {
                        // already processed, so don't repeat
                    } else {
                        $file_array[] = $entry;
                        // add a reference to a file
                        $foot = $doc->createElement('foot');
                        $foot->setAttribute('type', 'file');
                        $foot = $js->appendChild($foot);

                        $url = $GLOBALS['url_files'] .dirname($PHP_SELF) .'/' .$entry[key($entry)];

                        $foot  = $js->appendChild($foot);
                        $value = $doc->createTextNode($url);
                        $value = $foot->appendChild($value);
                    } // if
                } // if
            } // foreach
        } // if
```

Add the 'code' option:

```
        if (isset($javascript['foot'])) {
            $file_array = array();
            foreach ($javascript['foot'] as $entry) {
                if (key($entry) == 'file') {
                    if (in_array($entry, $file_array)) {
                        // already processed, so don't repeat
                    } else {
                        $file_array[] = $entry;
                        // add a reference to a file
                        $foot = $doc->createElement('foot');
                        $foot->setAttribute('type', 'file');
                        $foot = $js->appendChild($foot);

                        $url = $GLOBALS['url_files'] .dirname($PHP_SELF) .'/' .$entry[key($entry)];

                        $foot  = $js->appendChild($foot);
                        $value = $doc->createTextNode($url);
                        $value = $foot->appendChild($value);
```

```
            } // if
        } // if

        if (key($entry) == 'code') {
            // add a block of javascript code
            $foot = $doc->createElement('foot');
            $foot->setAttribute('type', 'code');
            $foot  = $js->appendChild($foot);
            $value = $doc->createTextNode($entry[key($entry)]);
            $value = $foot->appendChild($value);
        } // if

    } // foreach
} // if
```
