

---

Subject: Re: PopUp changes Key fields

Posted by [htManager](#) on Fri, 22 Jun 2018 07:41:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Yes, that works. Before getting the additional data I copy the values in `verbaende_art_id_old`, `verbaende_kuerzel_old`... and later I copy these values in the `$select_array`.

```
// liest Schluessel-Werte ein
$verbaende_art_id_old = $fieldarray['verbaende_art_id'];
$verbaende_kuerzel_old = $fieldarray['verbaende_kuerzel'];
$vereine_kuerzel_old = $fieldarray['vereine_kuerzel'];
```

```
// get contents of foreign table ORGA_VEREINE
$dbobject =& RDCsingleton::getInstance('orga_vereine'); // Instanz für Lookup-Tabelle
$where = "verbaende_art_id='{ $select_array['verbaende_art_id'] }'
AND verbaende_kuerzel='{ $select_array['verbaende_kuerzel'] }'
AND vereine_kuerzel='{ $select_array['vereine_kuerzel'] }'";
```

```
$data = $dbobject->getData ($where);
```

```
if (!empty($data)){
    $data = $data[0];
```

```
    $fieldarray['kontakt_stamm_verbaende_art_id'] = $data['verbaende_art_id'];
    $fieldarray['kontakt_stamm_verbaende_kuerzel'] = $data['verbaende_kuerzel'];
    $fieldarray['kontakt_stamm_vereine_kuerzel'] = $data['vereine_kuerzel'];
```

```
    $fieldarray['kontakt_stamm_vereine_name'] = $data['vereine_name'];
```

```
    $select_array['verbaende_art_id'] = $verbaende_art_id_old;
    $select_array['verbaende_kuerzel'] = $verbaende_kuerzel_old;
    $select_array['vereine_kuerzel'] = $vereine_kuerzel_old;
```

I don't know exactly but I think that this worked earlier. Did you change something in the latest versions?

---