Subject: Re: PopUp - Link1 table
Posted by AJM on Mon, 16 Mar 2020 17:02:13 GMT
View Forum Message <> Reply to Message

The popup2 will be called as described in FAQ79. I thought that it would be possible to insert the selected items with the add4 pattern.
You still have not identified from where the POPUP2 will be called. It would appear that a task of pattern X will be calling the popup, and when it returns it will add each selection to the database using an ADD4 task. Is this correct?

This is why the Â§where isn't empty. $where has the key values of the 'new' team member primary key.
This is not correct. The $where string that you pass to a POPUP2 task is used to select a single row in the 'outer' table so that it can then select associated rows from the 'inner' table. You cannot pass a $where string which identifies a TEAM_MEMBER if the 'outer' table is TEAM.

I get the correct team members shown in the popup2 form of the choosen team. But I don't get them in the _cm_popupReturn() method.
When you return from a POPUP2 screen the value in $selection is an array which contains the primary key of every entry you selected in the 'inner' zone of that popup.

I can change the settings of the popup2 form. But not of the popup1 form to show the possible teams.
In the _cm_initialise() method of the TEAM table you can call the scriptnext() function to activate the POPUP1 task with an optional 4th parameter in the format array('settings' => 'select_one=TRUE')