
Subject: Re: Fatal Error: %1\$s (# %2\$s).
Posted by [danpoleary](#) on Wed, 16 May 2007 17:42:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks Tony,

I uncommented the line indicated, and here is what is logged:

```
<h2>2007-05-16 13:38:46</h2><p>Fatal Error: %1$s (# %2$s).</p><p>Error in line 278 of file  
'/data/www/html/search/includes/dml.mysql.class.inc'.</p><p >Script:  
/search/search/configuration(add1).php</p><p>User Id: MGR</p><p>Remote Address:  
142.101.244.26</p><p>Request URI: /search/search/configuration(add1).php</p>  
<p>Page Stack:</p>
```

```
<pre>
```

```
[0] main_menu  
[1] sanitize  
[2] san_configuration(list1)  
[3] san_configuration(add1)
```

```
</pre>
```

```
<pre>
```

```
0: array =
```

```
function: string = errorHandler
```

```
args: array =
```

```
0: integer = 256
```

```
1: string = SQL
```

```
2: string = /data/www/html/search/includes/dml.mysql.class.inc
```

```
3: integer = 278
```

```
4: array =
```

```
dbname: string = sanitizer
```

```
tablename: string = configuration
```

```
where: string = SELECT count(*) FROM configuration WHERE *NO PRIMARY KEY HAS  
BEEN DEFINED*
```

```
result: boolean =
```

```
1: array =
```

```
file: string = /data/www/html/search/includes/dml.mysql.class.inc
```

```
line: integer = 278
```

```
function: string = trigger_error
```

```
args: array =
```

```
0: string = SQL
```

```
1: integer = 256
```

```
2: array =
```

```
file: string = /data/www/html/search/includes/dml.mysql.class.inc
```

```
line: integer = 691
```

```
function: string = getCount
```

```
class: string = mysql
```

```
object: object = Object id #2
```

```
type: string = ->
```

```
args: array =
  0: string = sanitizer
  1: string = configuration
  2: string = SELECT count(*) FROM configuration WHERE *NO PRIMARY KEY HAS BEEN
DEFINED*
3: array =
  file: string = /data/www/html/search/includes/std.table.class.inc
  line: integer = 4127
  function: string = insertRecord
  class: string = mysql
  object: object = Object id #2
  type: string = ->
  args: array =
    0: string = sanitizer
    1: string = configuration
    2: array =
      parameter: string = testit
      value: string = /testit
4: array =
  file: string = /data/www/html/search/includes/std.table.class.inc
  line: integer = 2058
  function: string = _dml_insertRecord
  class: string = Default_Table
  object: object = Object id #6
  type: string = ->
  args: array =
    0: array =
      parameter: string = testit
      value: string = /testit
5: array =
  file: string = /data/www/html/search/includes/std.add1.inc
  line: integer = 90
  function: string = insertRecord
  class: string = Default_Table
  object: object = Object id #6
  type: string = ->
  args: array =
    0: array =
      parameter: string = testit
      value: string = /testit
6: array =
  file: string = /data/www/html/search/search/configuration(add1).php
  line: integer = 9
  args: array =
    0: string = /data/www/html/search/includes/std.add1.inc
  function: string = require
```

</pre>

Let me know if you need anything else

Dan
