
Subject: std.batch.inc
Posted by [cpscdave](#) on Mon, 23 Oct 2006 16:46:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

Inside of batchInit(\$batchfile)

Currently

```
Line 21: $ini_array = parse_ini_file('batch.ini'); // retrieve variables from file
```

Shouldn't this be changed to

```
$ini_array = parse_ini_file($batchfile); // retrieve variables from file
```

-Dave

edit for spelling

Subject: Re: std.batch.inc
Posted by [AJM](#) on Mon, 23 Oct 2006 17:17:26 GMT
[View Forum Message](#) <> [Reply to Message](#)

No. The batch.ini file contains settings that apply to any number of batch jobs, and they are put into a separate file so that they do not have to be duplicated.

Take a look at the documentation at

<http://www.tonymarston.net/php-mysql/infrastructure-faq.html> #faq56 and you will see what I mean.

Subject: Re: std.batch.inc
Posted by [cpscdave](#) on Mon, 23 Oct 2006 17:42:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

Okay I see what you're saying now, I was under the impression that the intention was to be able to have specific ini's for different scripts.

Subject: Re: std.batch.inc
Posted by [AJM](#) on Mon, 23 Oct 2006 18:04:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

No. The batch.ini file is general purpose and shared among any number of scripts. If you want a specific setting for a particular script, then you place that setting within the script itself.
