
Subject: php5 mysql5 database problem
Posted by [augustin](#) on Wed, 10 May 2006 19:37:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

i go the following error

This application has encountered an unrecoverable error
The following has been reported to the administrator:

2006-05-10 09:19:11

Fatal Error: mysqli_connect(): Cannot connect to database '****audit'. (# 256).

SQL query: SET names 'UTF8'

Error in line 47 of file 'c:\xampp\htdocs\radicore\includes\dml.mysql.class.inc'.

Script: /radicore/menu/logon.php

Remote Address: 127.0.0.1

Request URI: /radicore/menu/logon.php

anny ideas?

Erik

PHPinfo

PHP Version 5.1.2

System Windows NT SERVER 5.1 build 2600

Build Date Jan 16 2006 07:33:28

Configure Command cscript /nologo configure.js "--enable-snapshot-build"

Server API Apache 2.0 Handler

Virtual Directory Support enabled

Configuration File (php.ini) Path C:\xampp\apache\bin\php.ini

PHP API 20041225

PHP Extension 20050922

Zend Extension 220051025

Debug Build no

Thread Safety enabled

Zend Memory Manager enabled

IPv6 Support enabled

Registered PHP Streams php, file, http, ftp, compress.zlib, https, ftps

Registered Stream Socket Transports tcp, udp, ssl, sslv3, sslv2, tls

Registered Stream Filters convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, zlib.*

This program makes use of the Zend Scripting Language Engine:
Zend Engine v2.1.0, Copyright (c) 1998-2006 Zend Technologies
with Zend Extension Manager v1.0.10, Copyright (c) 2003-2006, by Zend Technologies
with Zend Optimizer v3.0.0, Copyright (c) 1998-2006, by Zend Technologies

PHP Credits

Configuration

PHP Core

Directive Local Value Master Value

allow_call_time_pass_reference On On

allow_url_fopen On On

always_populate_raw_post_data Off Off

arg_separator.input & &

arg_separator.output & &

asp_tags Off Off

auto_append_file no value no value

auto_globals_jit On On

auto_prepend_file no value no value

browscap C:\xampp\php\browscap\browscap.ini C:\xampp\php\browscap\browscap.ini

default_charset no value no value

default_mimetype text/html text/html

define_syslog_variables Off Off

disable_classes no value no value

disable_functions no value no value

display_errors On On

display_startup_errors Off Off

doc_root no value no value

docref_ext no value no value

docref_root no value no value

enable_dl On On

error_append_string no value no value

error_log no value no value

error_prepend_string no value no value

error_reporting 2039 2039

expose_php On On

extension_dir C:\xampp\php\ext\ C:\xampp\php\ext\

file_uploads On On

highlight.bg #FFFFFF #FFFFFF

highlight.comment #FF8000 #FF8000

highlight.default #0000BB #0000BB

highlight.html #000000 #000000

highlight.keyword #007700 #007700
highlight.string #DD0000 #DD0000
html_errors On On
ignore_repeated_errors Off Off
ignore_repeated_source Off Off
ignore_user_abort Off Off
implicit_flush Off Off
include_path .;C:\xampp\php\pear\ .;C:\xampp\php\pear\
log_errors Off Off
log_errors_max_len 1024 1024
magic_quotes_gpc On On
magic_quotes_runtime Off Off
magic_quotes_sybase Off Off
mail.force_extra_parameters no value no value
max_execution_time 60 60
max_input_time 60 60
open_basedir no value no value
output_buffering no value no value
output_handler no value no value
post_max_size 16M 16M
precision 12 12
realpath_cache_size 16K 16K
realpath_cache_ttl 120 120
register_argc_argv On On
register_globals Off Off
register_long_arrays On On
report_memleaks On On
report zend_debug On On
safe_mode Off Off
safe_mode_exec_dir no value no value
safe_mode_gid Off Off
safe_mode_include_dir no value no value
sendmail_from erik@augustin.com erik@augustin.com
sendmail_path no value no value
serialize_precision 100 100
short_open_tag On On
SMTP localhost localhost
smtp_port 25 25
sql.safe_mode Off Off
track_errors Off Off
unserialize_callback_func no value no value
upload_max_filesize 16M 16M
upload_tmp_dir C:\xampp\tmp C:\xampp\tmp
user_dir no value no value
variables_order EGPCS EGPCS
xmlrpc_error_number 0 0
xmlrpc_errors Off Off
y2k_compliance On On

zend.ze1_compatibility_mode Off Off

apache2handler

Apache Version Apache/2.2.0 (Win32) DAV/2 mod_ssl/2.2.0 OpenSSL/0.9.8a

mod_autoindex_color PHP/5.1.2

Apache API Version 20051115

Server Administrator admin@localhost

Hostname:Port localhost:80

Max Requests Per Child: 0 - Keep Alive: on - Max Per Connection: 100

Timeouts Connection: 300 - Keep-Alive: 5

Virtual Server No

Server Root C:/xampp/apache

Loaded Modules core mod_win32 mpm_winnt http_core mod_so mod_actions mod_alias

mod_asis mod_auth_basic mod_authn_default mod_authn_file mod_authz_default

mod_authz_groupfile mod_authz_host mod_authz_user mod_cgi mod_dav mod_dav_fs mod_dir

mod_env mod_include mod_info mod_isapi util_ldap mod_log_config mod_mime

mod_negotiation mod_setenvif mod_status mod_ssl mod_autoindex_color mod_php5

Directive Local Value Master Value

engine 1 1

last_modified 0 0

xbithack 0 0

Apache Environment

Variable Value

AuthDigestEnableQueryStringHack On

HTTP_ACCEPT image/gif, image/x-xbitmap, image/jpeg, image/pjpeg,
application/x-shockwave-flash, */*

HTTP_REFERER http://127.0.0.1/xampp/navi.php

HTTP_ACCEPT_LANGUAGE nl

HTTP_ACCEPT_ENCODING gzip, deflate

HTTP_USER_AGENT Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)

HTTP_HOST 127.0.0.1

HTTP_CONNECTION Keep-Alive

PATH C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;c:\p hp5;

SystemRoot C:\WINDOWS

COMSPEC C:\WINDOWS\system32\cmd.exe

PATHEXT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH

WINDIR C:\WINDOWS

SERVER_SIGNATURE <address>Apache/2.2.0 (Win32) DAV/2 mod_ssl/2.2.0 OpenSSL/0.9.8a
mod_autoindex_color PHP/5.1.2 Server at 127.0.0.1 Port 80</address>

SERVER_SOFTWARE Apache/2.2.0 (Win32) DAV/2 mod_ssl/2.2.0 OpenSSL/0.9.8a
mod_autoindex_color PHP/5.1.2

SERVER_NAME 127.0.0.1

SERVER_ADDR 127.0.0.1

SERVER_PORT 80

REMOTE_ADDR 127.0.0.1
DOCUMENT_ROOT C:/xampp/htdocs
SERVER_ADMIN admin@localhost
SCRIPT_FILENAME C:/xampp/htdocs/xampp/phpinfo.php
REMOTE_PORT 1339
GATEWAY_INTERFACE CGI/1.1
SERVER_PROTOCOL HTTP/1.1
REQUEST_METHOD GET
QUERY_STRING no value
REQUEST_URI /xampp/phpinfo.php
SCRIPT_NAME /xampp/phpinfo.php

HTTP Headers Information

HTTP Request Headers

HTTP Request GET /xampp/phpinfo.php HTTP/1.1

Accept image/gif, image/x-bitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, */*

Referer http://127.0.0.1/xampp/navi.php

Accept-Language nl

Accept-Encoding gzip, deflate

User-Agent Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)

Host 127.0.0.1

Connection Keep-Alive

HTTP Response Headers

X-Powered-By PHP/5.1.2

Keep-Alive timeout=5, max=97

Connection Keep-Alive

Transfer-Encoding chunked

Content-Type text/html

bcmath

BCMath support enabled

calendar

Calendar support enabled

com_dotnet

COM support enabled

DCOM support disabled

.Net support not present in this build

Directive Local Value Master Value

com.allow_dcom 0 0

com.autoregister_casesensitive 1 1

com.autoregister_typelib 0 0

com.autoregister_verbose 0 0
com.code_page no value no value
com.typelib_file no value no value

ctype
ctype functions enabled

date
date/time support enabled
Timezone Database Version 2005.18
Timezone Database internal
Default timezone Europe/Paris

Directive Local Value Master Value
date.default_latitude 31.7667 31.7667
date.default_longitude 35.2333 35.2333
date.sunrise_zenith 90.583333 90.583333
date.sunset_zenith 90.583333 90.583333
date.timezone no value no value

dom
DOM/XML enabled
DOM/XML API Version 20031129
libxml Version 2.6.22
HTML Support enabled
XPath Support enabled
XPointer Support enabled
Schema Support enabled
RelaxNG Support enabled

exif
EXIF Support enabled
EXIF Version 1.4 \$Id: exif.c,v 1.173.2.4 2006/01/01 12:50:06 sniper Exp \$
Supported EXIF Version 0220
Supported filetypes JPEG, TIFF

ftp
FTP support enabled

gd
GD Support enabled
GD Version bundled (2.0.28 compatible)

FreeType Support enabled
FreeType Linkage with freetype
FreeType Version 2.1.7
T1Lib Support enabled
GIF Read Support enabled
GIF Create Support enabled
JPG Support enabled
PNG Support enabled
WBMP Support enabled
XBM Support enabled

gettext
GetText Support enabled

iconv
iconv support enabled
iconv implementation "libiconv"
iconv library version 1.9

Directive Local Value Master Value
iconv.input_encoding ISO-8859-1 ISO-8859-1
iconv.internal_encoding ISO-8859-1 ISO-8859-1
iconv.output_encoding ISO-8859-1 ISO-8859-1

imap
IMAP c-Client Version 2004
SSL Support enabled

libxml
libXML support active
libXML Version 2.6.22
libXML streams enabled

mbstring
Multibyte Support enabled
Multibyte string engine libmbfl
Multibyte (japanese) regex support enabled
Multibyte regex (oniguruma) version 3.7.1

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive Local Value Master Value

mbstring.detect_order no value no value
mbstring.encoding_translation Off Off
mbstring.func_overload 0 0
mbstring.http_input pass pass
mbstring.http_output pass pass
mbstring.internal_encoding no value no value
mbstring.language neutral neutral
mbstring.strict_detection Off Off
mbstring.substitute_character no value no value

mime_magic
mime_magic support

Directive Local Value Master Value

mime_magic.debug Off Off
mime_magic.magicfile C:\xampp\php\extras\magic.mime C:\xampp\php\extras\magic.mime

ming
Ming SWF output library enabled
Version 0.3beta1

mssql
MSSQL Support enabled
Active Persistent Links 0
Active Links 0
Library version 7.0

Directive Local Value Master Value

mssql.allow_persistent On On
mssql.batchsize 0 0
mssql.compatability_mode Off Off
mssql.connect_timeout 5 5
mssql.datetimeconvert On On
mssql.max_links Unlimited Unlimited
mssql.max_persistent Unlimited Unlimited
mssql.max_procs Unlimited Unlimited
mssql.min_error_severity 10 10
mssql.min_message_severity 10 10
mssql.secure_connection Off Off
mssql.textlimit Server default Server default
mssql.textsize Server default Server default
mssql.timeout 60 60

mysql

MySQL Support enabled
Active Persistent Links 0
Active Links 0
Client API version 5.0.20

Directive Local Value Master Value
mysql.allow_persistent On On
mysql.connect_timeout 60 60
mysql.default_host no value no value
mysql.default_password no value no value
mysql.default_port no value no value
mysql.default_socket no value no value
mysql.default_user no value no value
mysql.max_links Unlimited Unlimited
mysql.max_persistent Unlimited Unlimited
mysql.trace_mode Off Off

mysqli
Mysqli Support enabled
Client API version 5.0.20
MYSQLI_SOCKET /tmp/mysql.sock

Directive Local Value Master Value
mysqli.default_host no value no value
mysqli.default_port 3306 3306
mysqli.default_pw no value no value
mysqli.default_socket no value no value
mysqli.default_user no value no value
mysqli.max_links Unlimited Unlimited
mysqli.reconnect Off Off

odbc
ODBC Support enabled
Active Persistent Links 0
Active Links 0
ODBC library Win32

Directive Local Value Master Value
odbc.allow_persistent On On
odbc.check_persistent On On
odbc.default_db no value no value
odbc.default_pw no value no value
odbc.default_user no value no value
odbc.defaultbinmode return as is return as is
odbc.defaultlrl return up to 4096 bytes return up to 4096 bytes
odbc.max_links Unlimited Unlimited

odbc.max_persistent Unlimited Unlimited

openssl

OpenSSL support enabled

OpenSSL Version OpenSSL 0.9.8a 11 Oct 2005

pcre

PCRE (Perl Compatible Regular Expressions) Support enabled

PCRE Library Version 6.2 01-Aug-2005

pdf

PDF Support enabled

PDFlib GmbH Version 6.0.2

PECL Version 2.0.3

Revision \$Revision: 1.143 \$

PDO

PDO support enabled

PDO drivers mssql, mysql, sqlite2

pdo_mssql

PDO Driver for MSSQL DB-lib enabled

Flavour MSSQL_70

pdo_mysql

PDO Driver for MySQL, client library version 5.0.20

Reflection

Reflection enabled

Version \$Id: php_reflection.c,v 1.164.2.17 2006/01/01 12:50:12 sniper Exp \$

session

Session Support enabled

Registered save handlers files user sqlite

Registered serializer handlers php php_binary wddx

Directive Local Value Master Value

session.auto_start Off Off

session.bug_compat_42 On On

session.bug_compat_warn On On

session.cache_expire 180 180
session.cache_limiter nocache nocache
session.cookie_domain no value no value
session.cookie_lifetime 0 0
session.cookie_path //
session.cookie_secure Off Off
session.entropy_file no value no value
session.entropy_length 0 0
session.gc_divisor 100 100
session.gc_maxlifetime 1440 1440
session.gc_probability 1 1
session.hash_bits_per_character 4 4
session.hash_function 0 0
session.name PHPSESSID PHPSESSID
session.referer_check no value no value
session.save_handler files files
session.save_path C:\xampp\tmp C:\xampp\tmp
session.serialize_handler php php
session.use_cookies On On
session.use_only_cookies Off Off
session.use_trans_sid 0 0

SimpleXML

Simplexml support enabled
Revision \$Revision: 1.151.2.10 \$
Schema support enabled

soap

Soap Client enabled
Soap Server enabled

Directive Local Value Master Value

soap.wsdl_cache_dir C:\xampp\tmp C:\xampp\tmp
soap.wsdl_cache_enabled 1 1
soap.wsdl_cache_ttl 86400 86400

sockets

Sockets Support enabled

SPL

SPL support enabled
Interfaces Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject

Classes AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException,

BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support enabled

PECL Module version 2.0-dev \$Id: sqlite.c,v 1.166.2.11 2006/01/01 12:50:14 sniper Exp \$

SQLite Library 2.8.17

SQLite Encoding iso8859

Directive Local Value Master Value

sqlite.assoc_case 0 0

standard

Regex Library Bundled library enabled

Dynamic Library Support enabled

Internal Sendmail Support for Windows enabled

Directive Local Value Master Value

assert.active 1 1

assert.bail 0 0

assert.callback no value no value

assert.quiet_eval 0 0

assert.warning 1 1

auto_detect_line_endings 0 0

default_socket_timeout 60 60

safe_mode_allowed_env_vars PHP_ PHP_

safe_mode_protected_env_vars LD_LIBRARY_PATH LD_LIBRARY_PATH

url_rewriter.tags a=href,area=href,frame=src,input=src,form=,fieldset=

a=href,area=href,frame=src,input=src,form=,fieldset=

user_agent no value no value

tokenizer

Tokenizer Support enabled

wddx

WDDX Support enabled

WDDX Session Serializer enabled

xml
XML Support active
XML Namespace Support active
libxml2 Version 2.6.22

xmlreader
XMLReader enabled

xmlrpc
core library version xmlrpc-epi v. 0.51
php extension version 0.51
author Dan Libby
homepage <http://xmlrpc-epi.sourceforge.net>
open sourced by Epinions.com

xmlwriter
XMLWriter enabled

xsl
XSL enabled
libxslt Version 1.1.15
libxslt compiled against libxml Version 2.6.22
EXSLT enabled
libexslt Version 0.8.12

Zend Optimizer
Optimization Pass 1 enabled
Optimization Pass 2 enabled
Optimization Pass 3 enabled
Optimization Pass 4 enabled
Optimization Pass 9 disabled
Zend Loader disabled
License Path no value

zip
Zip support enabled

zlib
ZLib Support enabled
Stream Wrapper support compress.zlib://
Stream Filter support zlib.inflate, zlib.deflate

Compiled Version 1.2.3

Linked Version 1.2.3

Directive Local Value Master Value

zlib.output_compression Off Off

zlib.output_compression_level -1 -1

zlib.output_handler no value no value

Additional Modules

Module Name

Environment

Variable Value

no value ::=:\

no value C:=C:\xampp

ALLUSERSPROFILE C:\Documents and Settings\All Users

APPDATA C:\Documents and Settings\Administrator\Application Data

CLIENTNAME C600LAPTOP

CommonProgramFiles C:\Program Files\Common Files

COMPUTERNAME SERVER

ComSpec C:\WINDOWS\system32\cmd.exe

FP_NO_HOST_CHECK NO

HOMEDRIVE C:

HOMEPATH \Documents and Settings\Administrator

LOGONSERVER \\SERVER

NUMBER_OF_PROCESSORS 1

OS Windows_NT

Path C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;c:\p hp5;

PATHEXT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH

PROCESSOR_ARCHITECTURE x86

PROCESSOR_IDENTIFIER x86 Family 6 Model 5 Stepping 2, GenuineIntel

PROCESSOR_LEVEL 6

PROCESSOR_REVISION 0502

ProgramFiles C:\Program Files

PROMPT \$P\$G

SESSIONNAME RDP-Tcp#1

SystemDrive C:

SystemRoot C:\WINDOWS

TEMP C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp

TMP C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp

USERDOMAIN SERVER

USERNAME Administrator

USERPROFILE C:\Documents and Settings\Administrator

windir C:\WINDOWS

AP_PARENT_PID 4612

PHP Variables

Variable Value

```
_SERVER["AuthDigestEnableQueryStringHack"] On
_SERVER["HTTP_ACCEPT"] image/gif, image/x-xbitmap, image/jpeg, image/pjpeg,
application/x-shockwave-flash, */*
_SERVER["HTTP_REFERER"] http://127.0.0.1/xampp/navi.php
_SERVER["HTTP_ACCEPT_LANGUAGE"] nl
_SERVER["HTTP_ACCEPT_ENCODING"] gzip, deflate
_SERVER["HTTP_USER_AGENT"] Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)
_SERVER["HTTP_HOST"] 127.0.0.1
_SERVER["HTTP_CONNECTION"] Keep-Alive
_SERVER["PATH"] C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;c:\p
hp5;
_SERVER["SystemRoot"] C:\WINDOWS
_SERVER["COMSPEC"] C:\WINDOWS\system32\cmd.exe
_SERVER["PATHEXT"] .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH
_SERVER["WINDIR"] C:\WINDOWS
_SERVER["SERVER_SIGNATURE"] <address>Apache/2.2.0 (Win32) DAV/2 mod_ssl/2.2.0
OpenSSL/0.9.8a mod_autoindex_color PHP/5.1.2 Server at 127.0.0.1 Port 80</address>
_SERVER["SERVER_SOFTWARE"] Apache/2.2.0 (Win32) DAV/2 mod_ssl/2.2.0
OpenSSL/0.9.8a mod_autoindex_color PHP/5.1.2
_SERVER["SERVER_NAME"] 127.0.0.1
_SERVER["SERVER_ADDR"] 127.0.0.1
_SERVER["SERVER_PORT"] 80
_SERVER["REMOTE_ADDR"] 127.0.0.1
_SERVER["DOCUMENT_ROOT"] C:/xampp/htdocs
_SERVER["SERVER_ADMIN"] admin@localhost
_SERVER["SCRIPT_FILENAME"] C:/xampp/htdocs/xampp/phpinfo.php
_SERVER["REMOTE_PORT"] 1339
_SERVER["GATEWAY_INTERFACE"] CGI/1.1
_SERVER["SERVER_PROTOCOL"] HTTP/1.1
_SERVER["REQUEST_METHOD"] GET
_SERVER["QUERY_STRING"] no value
_SERVER["REQUEST_URI"] /xampp/phpinfo.php
_SERVER["SCRIPT_NAME"] /xampp/phpinfo.php
_SERVER["PHP_SELF"] /xampp/phpinfo.php
_SERVER["REQUEST_TIME"] 1147245252
_SERVER["argv"] Array
(
)

_SERVER["argc"] 0
_ENV["ALLUSERSPROFILE"] C:\Documents and Settings\All Users
_ENV["APPDATA"] C:\Documents and Settings\Administrator\Application Data
_ENV["CLIENTNAME"] C600LAPTOP
_ENV["CommonProgramFiles"] C:\Program Files\Common Files
_ENV["COMPUTERNAME"] SERVER
```

```
_ENV["ComSpec"] C:\WINDOWS\system32\cmd.exe
_ENV["FP_NO_HOST_CHECK"] NO
_ENV["HOMEDRIVE"] C:
_ENV["HOMEPATH"] \Documents and Settings\Administrator
_ENV["LOGONSERVER"] \\SERVER
_ENV["NUMBER_OF_PROCESSORS"] 1
_ENV["OS"] Windows_NT
_ENV["Path"] C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;c:\p hp5;
_ENV["PATHEXT"] .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH
_ENV["PROCESSOR_ARCHITECTURE"] x86
_ENV["PROCESSOR_IDENTIFIER"] x86 Family 6 Model 5 Stepping 2, GenuineIntel
_ENV["PROCESSOR_LEVEL"] 6
_ENV["PROCESSOR_REVISION"] 0502
_ENV["ProgramFiles"] C:\Program Files
_ENV["PROMPT"] $P$G
_ENV["SESSIONNAME"] RDP-Tcp#1
_ENV["SystemDrive"] C:
_ENV["SystemRoot"] C:\WINDOWS
_ENV["TEMP"] C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp
_ENV["TMP"] C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp
_ENV["USERDOMAIN"] SERVER
_ENV["USERNAME"] Administrator
_ENV["USERPROFILE"] C:\Documents and Settings\Administrator
_ENV["windir"] C:\WINDOWS
_ENV["AP_PARENT_PID"] 4612
```

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.

Subject: Re: php5 mysql5 database problem
Posted by [AJM](#) on Thu, 11 May 2006 08:25:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

That error message is telling you that the software is looking for a database with the name "****audit" which cannot be found. So where did this name come from? The name "audit" is

perfectly valid (you did create a database named "audit", didn't you?) but the leading "****" leads me to believe that your config.inc file (which was copied from config.inc.default) has the value "****" defined for \$GLOBALS['dbprefix']. You need to change all the values in config.inc to what is relevant for your installation, especially those currently filled with "****".
