
Subject: std.list3 passing middle table to child form
Posted by [johandewit](#) on Tue, 07 Nov 2006 09:31:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

Getting one step further in my list3 problem, i'm still confused.
(see also for reference
<http://www.radicore.org/forum/index.php?t=msg&th=116&start=0&S=0d875c7d23340dd2e17ef9c779399d89>)

How does one get the data from the middle table passed to the std.add2 child form ? In my case, I only get the \$where from the "outer" or parent table. Since the middle table contains also a field (the weeknumber) that is needed in the grandchild - inner table, i'm looking for a way to pass the value to the next form. But here I'm lost.

See the screenshot in previous post, I choose for the list3 for following reason :

Outer -> user data is fixed, and the data is retrieved using the logon id from the user.

Middle -> contains some overview data for the selected week. More than 1 week can be available, so scrolling is possible.

inner -> the detailed input data for the selected week middle table.

Johan

Subject: Re: std.list3 passing middle table to child form
Posted by [AJM](#) on Tue, 07 Nov 2006 11:44:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

If you go to home->prototypes->classroom scheduling->rooms and make a selection followed by the "Maintain Schedule" button you will see a working example of what you are trying to do. The middle table there is a dummy table, just like yours.

When I hit the "New" button it makes the current selection in the middle table available to the child ADD screen, which is the behaviour that you want. Although that screen uses the MULTI3 pattern I have tried it with LIST3 and it works just the same.

I suggest you look at this transaction to see how it is done.

Subject: Re: std.list3 passing middle table to child form
Posted by [johandewit](#) on Thu, 09 Nov 2006 09:18:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

Managed to get the data from std.lsit3 to the child form std.add2.

From the Menu, I call the std.list3. So, I needed a \$where, which I create in the outer_class using the _cm_initialize function.

Since the logon_id is not a primary key in my user database, I needed to look this up to create the \$where string using the primary key.

the code from the _cm_initialize function

```
if (!empty($_SESSION['logon_user_id'])) {  
    $where = 'log = ' . strtolower($_SESSION['logon_user_id']) . ''';  
    if ($this->getCount($where) == 1 )  
    {  
        $fieldarray = $this->getData_raw($where);  
        $where_array= $this->getPkeyArray($fieldarray);  
        $where = array2where($where_array);  
    } else {  
        $where= NULL; // not a regular user  
    }  
}
```

[Or should one use the Task Parameter 'Selection (fixed) in menu and RBAC system ?]

The middel tabel is dericed from the inner table and contains mostly calculated fields. The problem I had, was that I needed to pass a calculated field, which is defined in the inner table, which is not a primary key.

When addin new records to the inner table, the fields from the middle table must be filled in already and changed to 'noedit' state.

Such data is passed using the \$where string. This where string consist only of pkey fields. In the middel table, I modified the propertie \$this->primary_key to include all fields nedded for the child form (std.add2 in my case). This is done in the _cm_changeConfig function in the middel_table_class.

Is this the intended way for this situation, or are there better ways to achieve the same ?

Thanks

Johan

Subject: Re: std.list3 passing middle table to child form

Posted by [AJM](#) on Thu, 09 Nov 2006 10:09:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Your method of building the \$where string from \$_SESSION['logon_user_id'] is the approach I would have used. It would not be possible to use the Task Parameter 'Selection (fixed)' in the RBAC system as you can only specify a fixed string, not construct one from a variable.

The method of modifying the primary key details in the middle table so that the correct values are passed to the inner table is what I actually use in table class 'crs_schedule_x01.class.inc', which is used in the example I gave you. The code is:

```
function _cm_changeConfig ($where, $fieldarray)
{
    // temporarily define a different primary key
    $this->primary_key = array('schedule_id', 'room_id', 'day_no');

    return $fieldarray;
} // _cm_changeConfig
```

That's one of the advantages of getting the table specifications from the contents of the <table>.dict.inc file which is exported from the Data Dictionary - the contents can be modified at any time. That would not be possible if I read the primary key directly from the database because then I would be stuck with the database definition. With my method I can change any of those details, so there is MUCH more flexibility.

Subject: Re: std.list3 passing middle table to child form

Posted by [johandewit](#) on Thu, 09 Nov 2006 10:16:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

My mistake in the cm_changeConfig :

I used \$this->fieldspec['fieldname']['pkey'] = 'y';
but the \$this->primary_key MUST be used.

Thanks a lot for helping me.

johan
