

---

Subject: Restricting access to user's own record  
Posted by [adamsp](#) on Fri, 14 Sep 2007 14:20:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Tony

My Staff table has records on persons in the department and these can be edited via the "div\_staff(upd1)" task. Currently, this task is available from the "div\_staff(list1)" task. This menu structure allows any user to update the record of all other users. I want to allow the user to edit only their own record. To accomplish this, I want to let the user update their personal data from the "Menu" task (Home Page) where the user can also change their password ("mnu\_user(upd)a" task. So I added "div\_staff(upd1)" task to Navigation Buttons(1) under the "Menu" task. The selection now shows (as desired) but I get the message "Nothing has been selected yet" when clicking to update the staff record. How/where can I tell Radicore which staff record (the current user) to edit? Am I doing this correctly?

---

---

Subject: Re: Restricting access to user's own record  
Posted by [AJM](#) on Fri, 14 Sep 2007 15:50:49 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

The UPDATE1 pattern expects the identity of the record which to be updated is passed down in the \$where string. This is automatically populated when it is activated from a navigation button on a LIST1 or LIST2 pattern after a selection is made.

If the \$where string does not contain the primary key of a record on the UPDATE1's table then it does not know which record to update, so it fails.

If you have added this task as a navigation button on the MENU task then the \$where string is empty, which is why you are getting that error message.

You can get around this by inserting the following code into the \_cm\_initialise() method of mnu\_user.class.inc:

```
function _cm_initialise ($where)
// perform any initialisation for the current task.
{
    // this may be called from the home page, so insert user's id
    if (empty($where)) {
        $pattern_id = getPatternId();
        if (eregi('upd1|enq1', $pattern_id)) {
            $where = "user_id=" . $_SESSION['logon_user_id'] . "";
        } // if
    } // if

    return $where;

} // _cm_initialise
```

This will cause it to default to the current user's identity.

I shall make the same change in my version so that this code is not lost in the next release.

---