Subject: calling ADD2 from LIST1 with $where set.
Posted by alrobertson on Tue, 06 Nov 2007 22:41:10 GMT
View Forum Message <> Reply to Message

I realize this is not the usual way to use ADD2 so you may just want to tell me to use a different pattern.

What I was trying to do was:
1. Display a list (LIST1) of all the parts that could be built in house ($where specified parts that are built in house).
2. Make a selection and then call ADD2 to create a record of the part I wanted to build.

ADD2 accepts the $selection if it is returning from a popup or if $where is empty but since I am returning from a LIST1 with $where set, ADD2 ignores the $selection in favour of the $where.
In my case the $where did not have any fields that existed in the ADD2 table. I used this fact to get around it by changing std.add2.inc to wait until after $dbobject was set and then added:

```
if (!empty($selection) AND !isset($return_from)) {
 $where2 = filterWhere($where, $dbobject->fieldspec, $dbobject->tablename);
 if (empty($where2)) {
  // only use $selection if $where is empty
  $where = $selection;
 } // if
 $selection = null;
} // if
```

Subject: Re: calling ADD2 from LIST1 with $where set.
Posted by AJM on Wed, 07 Nov 2007 00:32:40 GMT
View Forum Message <> Reply to Message

The ADD2 pattern is designed to be called from a LIST2 pattern, not a LIST1. You are mixing your patterns incorrectly, therefore you need to rethink your design.