Subject: Filepicker - getDir() Posted by htManager on Mon, 23 Mar 2020 21:11:41 GMT View Forum Message <> Reply to Message

I have problems with some filepicker tasks because of the DIRECTORY_SEPARATOR in an XAMPP installation on my notebook. Some of the tasks work fine but some use the '\' as separator in front of the picture file and so is in line 120 in the std.filepicker1.inc no correct filepath found and an error will be generated. I use the same directory where the pictures are stored for the tasks which work and for those which fail. Do I have to take attention to something special?

Subject: Re: Filepicker - getDir() Posted by AJM on Tue, 24 Mar 2020 09:40:01 GMT View Forum Message <> Reply to Message

Line 120 is as follows: \$fileobject->picker_child_dir = \$subdir.DIRECTORY_SEPARATOR.\$_GET['select']; Note that DIRECTORY_SEPARATOR is a predefined constant which is set automatically to either '\' or '/' depending on your operating system. If you have a path which cannot be found does it contain other separators which are invalid for that OS?

Subject: Re: Filepicker - getDir() Posted by htManager on Tue, 24 Mar 2020 11:56:34 GMT View Forum Message <> Reply to Message

This is the value of \$subdir.DIRECTORY_SEPARATOR.\$_GET['select'] in xampp:

C:\xampp\htdocs\radicore\includes\std.filepicker1.inc:121:st ring 'pictures/training_uebungen\000006_HTM001000003a.jpg' (length=51)

In line 133 you replace the '\' with '/'. Could this be the problem here, too?

The error message on my linux host is:

Fatal Error: Method 'getDir' does not exist in standard object (# 256) Error in line 12066 of file '/var/www/vhosts/mgh-saar.de/includes/std.table.class.inc'. PHP_SELF: /htmanager/htm/orga_tests_grafik_02(filepicker).php CURRENT DIRECTORY: /var/www/vhosts/mgh-saar.de/htmanager.de/htmanager/htm REQUEST_URI: /htmanager/htm/orga_tests_grafik_02(filepicker).php?session_ name=menu3&select=000006_HTM001000007.JPG

Inserting from the same directory works fine with an other task.

Subject: Re: Filepicker - getDir()

Windows can use either '\' or '/' as the directory separator whereas linux will only allow '/', so the code which converts '\' to '/.' is not an issue.

Your actual problem is shown in the message "Method 'getDir' does not exist in standard object" which means that I did not include the updated version of std.table.class.inc in my last release. I have attached the latest version to this message.

File Attachments
1) std.table.class.zip, downloaded 432 times

Subject: Re: Filepicker - getDir() Posted by htManager on Thu, 26 Mar 2020 09:00:48 GMT View Forum Message <> Reply to Message

Thank you for applying the new std.table.class.inc. Could it be that the include.session.inc has to be updated too?

I get the following error message:

Fatal Error: Uncaught exception from Error, message = Call to undefined function array2string(), code=0, file=C:\xampp\htdocs\radicore\includes\std.table.class.inc, line=5855, file = C:\xampp\htdocs\radicore\includes\include.session.inc line = 212 function = popupCall class = Default_Table

Subject: Re: Filepicker - getDir() Posted by AJM on Thu, 26 Mar 2020 09:29:29 GMT View Forum Message <> Reply to Message

Whoops! :blush: I forgot that I had also updated file include.library.inc, so here is the latest copy.

File Attachments
1) include.library.zip, downloaded 424 times

Subject: Re: Filepicker - getDir() Posted by htManager on Thu, 26 Mar 2020 11:31:00 GMT View Forum Message <> Reply to Message

Thank you very much. The pouUp is now working. Now I have the problem that the complete path is inserted in the table. Do I have to change something in the _cm_initialiseFilePicker() method? Normally only the subdir and the image name is stored.

Subject: Re: Filepicker - getDir() Posted by AJM on Fri, 27 Mar 2020 09:58:07 GMT View Forum Message <> Reply to Message

If you want to store only the file name in the database and not the full path then you should use code similar to this: \$filename = basename(\$filepath);

Subject: Re: Filepicker - getDir() Posted by htManager on Fri, 27 Mar 2020 16:55:15 GMT View Forum Message <> Reply to Message

Where do I have to place this code?

By now I only identified the subdir in _cm_initialiseFilepicker()

// identify the subdirectory which contains the files
\$this->picker_subdir = 'pictures/training_uebungen';

Do I have to store the code here in the _cm_initialiseFilepicker?

\$filename = basename(\$filepath);

Subject: Re: Filepicker - getDir() Posted by AJM on Fri, 27 Mar 2020 18:00:05 GMT View Forum Message <> Reply to Message

You need to use that code after a file has been picked but before it is added to the database. This is definitely not the _cm_initialiseFilepicker() method.

Subject: Re: Filepicker - getDir() Posted by htManager on Fri, 27 Mar 2020 20:43:23 GMT View Forum Message <> Reply to Message

I thought that it would be in the _cm_filePickerSelect (\$selection) method, but the selection will not be shown in this method. Where would it be best?

In the filepicker selection screen you can't see the images anymore. See attached screenshots.

File Attachments							
1) filepicker.jpg, downloaded 1078 times							
← → C û ilocalhost/radicore/htm/orga_tests_grafik_02(filepicker).php?csrf_id=5e7f1							
Juergen Hartz (HVS) Kontakt-Pool Kontakte Ausrüstung Tests Verbände My htManager Home»Orga»Mannschaften Eigene»Orga Mannschaften Eigene»Orga							
orga_tests File Picker							
Grafik hochladen Suchen							
File Name *							
000006_HTM001000001.JPG							
000006_HTM00100002b.JPG							
000006_HTM001000003a.jpg							
000006_HTM00100003c.jpg							

5	$\leftarrow \rightarrow G \ G$	Iocalhost/radicore/htm/orga_tests_grafik_02(filepicker).php?csrf_id=5e7f1				
	B Juergen Hartz (HVS) Kontakt-Pool Kontakte Ausrüstung	Tests Verbände My htManager				
	Home»Orga»Mannschaften Eigene»Orga M	annschaften Tests»Ändern»File Picker				
orga_tests File Picker						
	Grafik hochladen Suchen					
	File Name					
	000006 HTM001000001.JPG					
	000006_HTM001000002b.JPG					
	000006_HTM001000003a.jpg					
	000006_HTM00100003c.jpg					
	000006_HTM001000007.JPG					
	000006_HTM00100009.JPG					
	000006_HTM001000016.jpg					
	000000 11710004400004 100					

Subject: Re: Filepicker - getDir() Posted by AJM on Sat, 28 Mar 2020 09:20:05 GMT View Forum Message <> Reply to Message

When the filepicker task exits and returns its selection to the task which called it.

Subject: Re: Filepicker - getDir() Posted by htManager on Sat, 28 Mar 2020 09:56:38 GMT View Forum Message <> Reply to Message

Sorry, but I don't understand how to handle this. I have an upd1 task (htm_orga_mannschaften_tests(upd1)) to open a detail screen in which I have a filepicker control with a filepicker task (htm_orga_tests_grafik_01(filepicker)).

"When the filepicker task exits" means that there must be in orga_mannschaften_tests.class.inc a method where I can change the selected string? But I have no idea which method this could be.

Have you read my complement and seen the screenshot?

Subject: Re: Filepicker - getDir() Posted by AJM on Sun, 29 Mar 2020 09:26:51 GMT View Forum Message <> Reply to Message

When the filepicker task exits it returns control to the task which activated it. Upon return to this task the _cm_popupReturn() method is activated which then makes the selection available to that task.

Subject: Re: Filepicker - getDir() Posted by htManager on Sun, 29 Mar 2020 13:12:33 GMT View Forum Message <> Reply to Message

I can handle it now. Thank you.

But \$filename = basename(\$filepath) returns only the name of the picture without the 'picker_subdir'. I do now extend \$filename with the value of 'picker_subdir' (pictures/training_uebungen/') manually hardcoded. Even storing the value of 'picker_subdir' in \$GLOBALS['picker_subdir'] = 'pictures/training_uebungen' doesn't work. When retreiving it in _cm_popUpReturn() it is empty.

Is there a possibility to get the value of 'picker_subdir'?

Subject: Re: Filepicker - getDir() Posted by AJM on Mon, 30 Mar 2020 08:53:14 GMT View Forum Message <> Reply to Message

\$picker_subdir is defined as a class property within std.table.class.inc so should be addressed as \$this->picker_subdir. Its value is usually loaded in the _cm_initialiseFilePicker() method, but can also be loaded in the _cm_initialise() method. Subject: Re: Filepicker - getDir() Posted by htManager on Mon, 30 Mar 2020 14:48:16 GMT View Forum Message <> Reply to Message

Tony, I don't know what it is wrong with my application. I initialized the picker directories in the same way you did in the prototype applications. But it fails.

I looked in xample and in survey and in both application the icons are not correct shown in the picker screen and you can't them choose. See attached file.

I changed the include directory to that from version 2.13.0 and everything works fine. Can it be that there is a problem with the new version 2.14.0?

File Attachments

1) filepicker.jpg, downloaded 1052 times

Page 6 of 9 ---- Generated from Radicore Forum

 	' ŵ	0 i k	ocalhost/radico	ore/survey/filepicke	er.php?csrf_id=5	e8202a39957f4.521021
Suergen H Asset Type Home»Protot	Location Type	Organisation Type		Risk Weighting Picker	Survey Type	
File Picke	r					
	File Name					
CHOOSE NU	JLL					

← → ♂ ଢ	Icalhost/radicore/xample/x_person(filepicker).php?csrf_id=5e8203726a45
Juergen Hartz Person Person (Multi5) Home»Prototypen»Example	Option Person Type Tree Type test_autoincrement System»List Person»Update»Choose Picture
Choose Person Pictu	re
Upload Picture Search	
	File Name
CHOOSE NULL	

Subject: Re: Filepicker - getDir() Posted by AJM on Tue, 31 Mar 2020 09:24:38 GMT View Forum Message <> Reply to Message

Whoops! :blush: That problem with the filepicker in the Survey prototype was due to the fact that some while ago in version 2.04.1 I changed the column names used in the screen. This is fixed in

the attached script which goes into the \survey\screens\en\ directory.

File Attachments
1) filepicker.list.screen.inc, downloaded 451 times

Subject: Re: Filepicker - getDir() Posted by AJM on Tue, 31 Mar 2020 09:26:15 GMT View Forum Message <> Reply to Message

When you say that something is wrong, what exactly is wrong? What is the contents of the \$selection argument in _cm_popupReturn() when you return from making a selection in the filepicker screen?

Subject: Re: Filepicker - getDir() Posted by htManager on Tue, 31 Mar 2020 13:31:58 GMT View Forum Message <> Reply to Message

In V 2.13.0 the \$select_array returns: string 'pictures/training_uebungen/000006_HTM001000002b.JPG' where pictures/training_uebungen/ is the value of \$this->picker_subdir, initialised in _cm_initialiseFilePicker(). The icons in filepicker screen are shown correctly.

In V 2.14.0 the \$select_array returns: string 'C:/xampp/htdocs/radicore/htm/pictures/training_uebungen/000 006_HTM001000009.JPG'. The icons in filepicker screen aren't shown correctly.

Subject: Re: Filepicker - getDir() Posted by AJM on Wed, 01 Apr 2020 09:37:51 GMT View Forum Message <> Reply to Message

It would appear that somewhere in the processing I changed the relative path to an absolute path, so I will fix this in the next release which will follow shortly. In the meantime you can try the following code in the _cm_popupReturn() method: \$selection = \$this->picker_subdir .'/' .basename(\$selection);

Subject: Re: Filepicker - getDir() Posted by htManager on Wed, 01 Apr 2020 13:47:38 GMT View Forum Message <> Reply to Message

The problem seems to be that \$this->picker_subdir is empty. If I use "\$selection = \$this->picker_subdir .'/' .basename(\$selection);" I get: "/whatever.jpg"

Subject: Re: Filepicker - getDir() Posted by AJM on Thu, 02 Apr 2020 09:00:34 GMT View Forum Message <> Reply to Message

\$this->picker_subdir can be set in either _cm_initialiseFilePicker() or in _cm_initialise().

Subject: Re: Filepicker - getDir() Posted by htManager on Fri, 03 Apr 2020 08:03:19 GMT View Forum Message <> Reply to Message

I installed Version 2.15.0 and as far as I can see, everything works fine for me again. Thank you. What did you change to solve this problem?

Subject: Re: Filepicker - getDir() Posted by AJM on Fri, 03 Apr 2020 08:39:06 GMT View Forum Message <> Reply to Message

For some reason I had used the realpath() function to turn the relative path into an absolute one. This turned out to be a mistake :blush: so I reverted the code.

Page 9 of 9 ---- Generated from Radicore Forum