
Subject: Regarding optional attributes and denormalisation

Posted by [rsk16it](#) on Thu, 06 Oct 2011 10:01:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Tony

Though I am not a user of radcore or PHP, I read your articles often, and try to apply them in my own projects.

I was reading your article regarding normalisation and effective database design : <http://www.tonymarston.net/php-mysql/database-design.html>. And it was like 10th time I was reading it.

In the section of denormalisation, there is a sub-section about optional attributes that exist as a group : [http:// www.tonymarston.net/php-mysql/database-design.html#optional.attributes](http://www.tonymarston.net/php-mysql/database-design.html#optional.attributes). There you said the following :

R (K, A, B, C, X, Y, Z) where:

1. Attribute K is the primary key.
2. Attributes (A B C) exist all the time.
3. Attributes (X Y Z) exist some of the time (but always as a group under the same circumstances).
4. Attributes (X Y Z) require special processing.

After denormalising the result is two separate relations, as follows:

- * R1 (K, A, B, C)
- * R2 (K, X, Y, Z) where K is also the foreign key to R1

What I can see is that you said that breaking of the original relation 'R' into 'R1' and 'R2' is denormalisation. But I fail to see any single normalisation rule which is broken.

1st NF : No repeating groups

2nd NF : No partial dependencies

3rd NF : No transitive dependencies

BC NF : Every determinant is key

4th NF : No multivalued dependency (if R doesnt break it, then probably R1 and R2 also dont break it)

5th NF : Cannot be decomposed into furthur smaller relations. (Again if R doesnt break it, R1 and R2 probably also dont)

6th NF (No use discussing)

Also, from the application point of view, R1 can be seen as a class 'customers', and R2 can be as 'customers_with_arrears' which inherits 'customers' as it follows one-to-one relationship with some extra attributes, effectively increasing the specialisation (thus inheritance).

Thus it looks like a better design overall, and I cant see any denormalisation. I would be grateful if

you can help clarify it.

Thanks a lot

Subject: Re: Regarding optional attributes and denormalisation

Posted by [AJM](#) on Sun, 09 Oct 2011 09:39:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

It is breaking normalisation for the simple reason that all relations which share the same primary key are supposed to be combined into the same table. That is the starting point, and from there you begin applying the other normalisation rules.

Thus if an entity called CUSTOMER has 100 attributes you start by putting them all into a single CUSTOMER table. It is only when you step through the rules of normalisation that you identify reasons to split attributes off into other tables.

Subject: Re: Regarding optional attributes and denormalisation

Posted by [rsk16it](#) on Sun, 09 Oct 2011 17:18:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

Oh, I see, txn for clarification.