
Subject: Sub totals and Page Breaks

Posted by [gpatti](#) on Sat, 16 Jan 2010 17:38:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

Tony,

I'm struggling achieving the desired output with the ListView print_before and print_after methods - can you confirm if the following is possible with existing methods?:

I am producing a listview output for a number of entities, each of which has one or more items belonging to it, containing an amount.

I want to produce a separate page for each entity and have a subtotal for each entity at the bottom of each page.

The page break is easy, but I can't get the subtotal to appear with the correct entity at the same time as it needs to go in the print_before method with the page break. Therefore, the total always goes at the top of the next page.

How can I achieve this?

Thanks,

Graham

Subject: Re: Sub totals and Page Breaks

Posted by [AJM](#) on Sat, 16 Jan 2010 22:15:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

Surely you want to print the subtotals for an entity using the print_after method, not the print_before method. The page break should then be processed after the print_after method, or within the print_before method of the next entity.

Subject: Re: Sub totals and Page Breaks

Posted by [gpatti](#) on Sat, 16 Jan 2010 22:36:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Well maybe I'm missing something and you can point me in the right direction, but my thinking is this:

I can't print the subtotals in the print_after method because I don't know at that stage that the entity will change and this is the last item for that entity.

I think I only know that I want to print subtotals and break a page at the same point - in the

print_before method.

I am thinking that I need to be able to tell the system to page break before or after the additionally generated lines are printed (in this case after) and I can't figure out a way to do that.

Hope this makes sense. Perhaps you can figure a way to achieve this?

Subject: Re: Sub totals and Page Breaks

Posted by [AJM](#) on Sun, 17 Jan 2010 08:19:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

I have played around with some test data in the EXAMPLE subsystem to see if I can achieve the result you desire. The only way I could do this was to modify the `_cm_ListView_print_after()` method to include a second argument for `$next_row`. My 'before' and 'after' methods are as follows:

```
// *****
function _cm_ListView_print_before ($prev_row, $curr_row)
// allow extra rows to be created in List View
{
    $output = array();

    if (!empty($prev_row)) {
        // row has changed
        if (substr($prev_row['last_name'], 0, 1) != substr($curr_row['last_name'], 0, 1)) {
            // first character of last name has changed
            $this->pdf->AddPage();
        } // if
    } // if

    return $output;
} // _cm_ListView_print_before

// *****
function _cm_ListView_print_after ($curr_row, $next_row)
// allow extra rows to be created in List View
{
    $output = array();

    if (substr($next_row['last_name'], 0, 1) != substr($curr_row['last_name'], 0, 1)) {
        // first character of last name has changed
        $output[0]['pers_type_desc'] = 'after ' . $curr_row['person_id'];
    } // if

    return $output;
}
```

```
} // _cm_ListView_print_after
```

Attached are the framework scripts which I have modified. Try them out and let me know if they solve your problem.

File Attachments

1) [std.pdf.class.zip](#), downloaded 1626 times

Subject: Re: Sub totals and Page Breaks
Posted by [gpatti](#) on Sun, 17 Jan 2010 09:56:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

I'm finding that `$this->pdf->AddPage()` is not working when called within `_cm_ListView_print_before()`.

I ran my existing code (page breaks but no subtotals) which uses the deprecated `_cm_ListView_pre_print()` method and it behaves correctly. If I make the simple change to the new method it doesn't throw page breaks.

Subject: Re: Sub totals and Page Breaks
Posted by [AJM](#) on Sun, 17 Jan 2010 10:13:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

In my test the call to `$this->pdf->AddPage()` within `_cm_ListView_print_before()` is conditional, so are you sure the condition is being met? If it is called it will ALWAYS generate a new page, so step through with your debugger to see that it is actually being called.

Subject: Re: Sub totals and Page Breaks
Posted by [gpatti](#) on Sun, 17 Jan 2010 10:33:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

I'll try debugging later today. However, I did use exactly the same code from the deprecated method which worked. (I effectively just changed the name of the function).

Subject: Re: Sub totals and Page Breaks
Posted by [gpatti](#) on Sun, 17 Jan 2010 15:30:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

I've solved the AddPage issue. The class I am using is an extension of another class, and that class contained the deprecated `_cm_ListView_pre_print()` method. This was causing `_cm_ListView_print_before()` not to be executed.

However, the updates sre not working correctly because of the following:

In `_print_after()` the field I am comparing to see if the entity is changed from `$current_row` to `$next_row` does not have the same formatting applied, so the comparison ALWAYS returns false. `$current_row` contains the ValRep representation of the entity, whilst the `$next_row` contains the entity id.

Subject: Re: Sub totals and Page Breaks
Posted by [AJM](#) on Sun, 17 Jan 2010 15:37:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

The solution is simple - either:
(a) apply the same formatting to both values
(b) do not apply any formatting to either value

Subject: Re: Sub totals and Page Breaks
Posted by [gpatti](#) on Sun, 17 Jan 2010 16:31:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

But I think the formatting is being applied / not applied by the framework - and is not consistent.

In the `print_before()` method the formats of all fields in `$previous_row` and `$current_row` are the same, without any specific coding. However, in the `print_after()` method the formats are not the same for the `$current_row` and `$next_row`.

Do I specifically need to apply formatting in the `print_after()` method?

Subject: Re: Sub totals and Page Breaks
Posted by [AJM](#) on Sun, 17 Jan 2010 16:53:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

Try the attached fix. This should not apply any formatting to the previous/current/next record until AFTER it has been examined and just BEFORE it is printed.

(attachment deleted)

Subject: Re: Sub totals and Page Breaks
Posted by [AJM](#) on Sun, 17 Jan 2010 17:12:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

The previous fix wasn't quite right, so here's another.

(attachment deleted)

Subject: Re: Sub totals and Page Breaks
Posted by [gpatti](#) on Sun, 17 Jan 2010 17:19:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is giving strange results. I am now seeing the entity id as NULL in some cases, an id in some cases and a value representation in others.

I will need to debug in detail to see what is happening where.

Hold this - just spotted your later post!

Subject: Re: Sub totals and Page Breaks
Posted by [gpatti](#) on Sun, 17 Jan 2010 17:24:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

Tony,

The later fix gives an error:

Fatal error: Call to a member function formatData() on a non-object in
C:\xampp\includes\std.pdf.class.inc on line 924

Subject: Re: Sub totals and Page Breaks
Posted by [AJM](#) on Sun, 17 Jan 2010 17:45:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

Third time lucky (I hope)

File Attachments

1) [std.pdf.class.zip](#), downloaded 1646 times

Subject: Re: Sub totals and Page Breaks
Posted by [gpatti](#) on Sun, 17 Jan 2010 18:24:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

Not having much luck I'm afraid. This version has caused a fatal SQL syntax error...

In my `_cm_formatData()` method I use `rdccount_id` from `$rowdata` to build a query to check a user format preference. The query being produced has `rdccount_id` set to NULL, so for some reason `$rowdata` doesn't contain `rdccount_id` when you call it.

A solution would be for me to only execute the query conditionally (i.e. if rdcaccount_id != NULL).
I'll do this unless you think there might be a further issue in your code somewhere.

Subject: Re: Sub totals and Page Breaks
Posted by [AJM](#) on Sun, 17 Jan 2010 20:49:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

What happens in cm_formatData() is under your control, so if you have code there which produces an invalid sql query I'm afraid you'll have to correct it yourself.
